

# KASIK

**SAFETY  
COLLECTION**

KASK

PERFORMANCE IS  
A BEAUTIFUL THING.





# I N D E X

OUR MISSION   OUR PASSION	6
20 YEARS TO A GLOBAL NETWORK	8
KASK TIMELINE	10
THE KASK DIFFERENCE	14
KASK ROTATIONAL IMPACT WG11 TEST	22
LOWERING CARBON FOOTPRINT WHILE MAINTAINING KASK SAFETY STANDARDS	24
<b>HEAD PROTECTION</b>	<b>26</b>
HEAD PROTECTION STANDARDS	28
<b>ZENITH X</b>	<b>30</b>
ZENITH X	34
ZENITH X HI VIZ	36
ZENITH X AIR	38
ZENITH X AIR HI VIZ	40
ZENITH X PL	42
ZENITH X PL HI VIZ	44
ZENITH X COMBO	46
ZENITH X AIR COMBO	48
ZENITH X PL COMBO	50
<b>PRIMERO</b>	<b>52</b>
PRIMERO	56
PRIMERO HI VIZ	58
PRIMERO AIR	60
PRIMERO AIR HI VIZ	62
PRIMERO PL	64
PRIMERO PL HI VIZ	66
<b>SUPERPLASMA</b>	<b>68</b>
SUPERPLASMA AQ	72
SUPERPLASMA AQ HI VIZ	74
SUPERPLASMA PL	76
SUPERPLASMA PL HI VIZ	78
SUPERPLASMA HP	80
SUPERPLASMA HP VISOR	82
<b>EYE &amp; FACE PROTECTION</b>	<b>84</b>
NORMAS	86
<b>PROTECTION FROM ELECTRIC ARC</b>	<b>96</b>
<b>HEARING PROTECTION</b>	<b>100</b>
<b>WEATHER PROTECTION</b>	<b>106</b>
<b>HEADLAMPS</b>	<b>114</b>
<b>OTHER ACCESSORIES</b>	<b>120</b>
CUSTOM PRINTING AS EASY AS 1, 2, 3	122
SPARE PARTS	124
SALES SUPPORT	126
ZENITH X FULL RANGE	128
PRIMERO FULL RANGE	130
SUPERPLASMA FULL RANGE	132



# OUR MISSION.

Develop helmets that exceed the strictest global safety protection standards.

— 6

# OUR PASSION.

Designing helmets for all-day comfort and optimal worker performance.





*"Every great adventure starts in your head. We take care of it. We create and develop advanced helmets that combine comfort, safety, and design to look just as great as they perform."*

KASK CEO Angelo Gotti

KASK IN THE WORLD

# MORE THAN 20 YEARS TO A GLOBAL NETWORK.




**KASK AMERICA**  
Est. 2010

8



**3**

GLOBAL OFFICES




Started in 2004, KASK has built an industry-leading global team of engineers, product specialists, and premier partners.



**KASK ITALIA**  
Headquarters Est. 2004



**KASK AUSTRALIA**  
Est. 2014



2004

## R&D

KASK is founded to develop advanced helmet safety improvements for OEM customers.

2009

## SNOW

KASK performance benefits are extended to meet the challenging applications of winter sport enthusiasts.

— 10

2006

## CYCLING

2008

## SAFETY

KASK brings safety, comfort, and design helmet philosophies to demanding cycling market.

KASK shifts from OEM supplier to manufacturer to accelerate innovations in industrial helmets.

2011

## URBAN

KASK comfort and design competencies are extended into the immersing consumer markets.

2021 2024

## VOGEL F.LLI FABBRI

KASK acquires Vogel, an American bespoke equestrian footwear brand, sharing the same values of luxury, service, and quality with a dedication to craftsmanship.


Since 1924, Fratelli Fabbri boots have been handcrafted. The exclusivity of Fabbri's products comes from the excellence of the materials and the possibility of making unique customizations that KASK stands for.

2015 2016

## EQUESTRIAN KOO EYEWEAR

KASK recognizes a gap in protection and performance in equestrian helmets, and delivers advanced design and innovative features.

KASK launches new performance eyewear brand to deliver integrated head and eye protection solutions.



KASK






# THE KASK DIFFERENCE.

Delivering performance helmets  
requires:

— 14

- a dedication to SAFETY
- a commitment to COMFORT
- a passion for DESIGN





KASK



# SAFETY.

Engineered to exceed the strictest global safety protection standards.



The first to introduce high-density polystyrene interior for a complete whole head protection.



Offices in Europe, Australia, and North America ensure KASK helmets exceed global safety standards.



The first to standardize chinstrap systems to ensure consistently secure head protection.



# COMFORT.

New technologies that increase worker confidence for all-day performance.

— 18




Ratchet fit systems enable comfort as the wearer's head moves ensuring firm helmet stability.



Integrated ventilation systems that channel airflow through the helmet for all-day comfort.



Advanced materials and fabrics wick away moisture to keep workers cool and dry.





**KASK**



# DESIGN.

Uncompromising attention to details that produces helmets workers want to wear.



Designed with easily replaceable components to ensure helmets are a long-lasting investment.



A suite of advanced, fully integrated accessories that allow all helmets to be customized for your needs.



Recognized by the global design community for exceptional attention to form and function.



# KASK ROTATIONAL IMPACT WG11 TEST.

Every KASK helmet is tested for rotational impact performance.



KASK has always been committed to creating products that provide both excellent safety and comfort, exceeding requirements set by international standards and norms.

KASK WG11 test is an internal protocol adopted by KASK to identify an objective method, based on scientific sources, for measuring the performance of its helmets against rotational impacts.

Most helmets tests use rotational impact prevention technologies with headforms that have a higher coefficient of friction than those of the human skull and therefore may not reflect what occurs in some accidents.

The “pass-fail” criterion is based on the BrIC value, an algorithm that defines the level of brain injury. This value must be lower than 0,68.

The final test protocol is:

OBLIQUE IMPACT TESTs:

oblique tests @ 45°, impact speed 4,5 m/s, BrIC < 0,68

- grade 80 closed-coat aluminum oxide abrasive paper
- headform nominal coefficient of friction 0,3
- wireless system: triaxial accelerometer + n. 3 ARS

Headform: EN 960 series

Measurements: Peak of rotational acceleration, Peak of linear acceleration, HIC, BRIC (< 0,68)



All KASK helmets successfully pass this test with values that are substantially less than 0,68: BrIC 0,39.

**HIGHER RISK OF BRAIN INJURY: >0.68**

**KASK PROTECTION: <0.39**

ROTATIONAL IMPACT WG11 TEST PASSED is a KASK registered trademark. The ROTATIONAL IMPACT TEST PASSED is a KASK internal oblique impact test that measures the performance of its helmets against rotational impacts. This Test has not been adopted by CEN or its Working Group CEN TC158/Working Group 11.

# LOWERING CARBON FOOTPRINT WHILE MAINTAINING KASK SAFETY STANDARDS.

SUPERPLASMA, PRIMERO AND ZENITH X SERIES HAVE THE INTERNAL SHELL MADE OF



**Neopor®  
Cycled®**

by BASF

— 24

NEOPOR® CCYCLED® EPS IS OBTAINED FROM CHEMICAL RECYCLING OF PLASTIC WASTE AND HAS A REDUCED CARBON FOOTPRINT, ENSURING THE SAME HIGH QUALITY, PERFORMANCE AND SAFETY AS EPS MADE FROM FOSSIL RAW MATERIAL.



SUPERPLASMA



PRIMERO




ZENITH X

## BENEFITS OF USING NEOPOR® CCYCLED® EPS


- Ensures the same mechanical characteristics as conventional Neopor®, such as all-around high impact energy absorption
- Saves fossil resources and reduces CO<sub>2</sub> emissions compared to conventional EPS
- Contributes to a circular economy by turning plastic waste into feedstock for the chemical industry, when no other recycling processes are applicable

## REDUCED PRODUCT CARBON FOOTPRINT



Neopor® Cycled® has a product carbon footprint reduced by about 90% compared to conventional Neopor® produced on the basis of fossil feedstock. CO<sub>2</sub> emissions are saved when manufacturing EPS using pyrolysis oil under a mass balance approach\*. The lower emissions result from chemically recycling the mixed plastic waste instead of incinerating it.

## THE PRODUCTION PROCESS



## CONSERVING RESOURCES



- 01 Consumers dispose plastic products
- 02 Plastic waste is sorted and delivered to BASF technology partners
- 03 Plastic waste is chemically recycled and converted into pyrolysis oil
- 04 The pyrolysis oil obtained is used as feedstock at the very beginning of the BASF value chain
- 05 The pyrolysis oil is attributed to Neopor® Cycled® via a certified mass balance approach\*
- 06 New products, e.g. internal shell of KASK safety helmet, are manufactured from Neopor® Cycled®

KASK helmets featuring an internal shell made from Neopor® CCycled® EPS include the entire Primero and Zenith X series, as well as the AQ, AQ HI VIZ, PL, and PL HI VIZ models within the Superplasma series.

\* Conventional fossil raw materials required to manufacture BASF products are replaced with recycled feedstock from the chemical recycling of plastic waste or end of life tires along BASF's integrated production chain. The corresponding share of recycled feedstock, e.g. pyrolysis oil, is attributed to the specific Cycled® product via a certified mass balance approach. BASF sites and Cycled® products are third party certified according to internationally recognized certification schemes like REDcert2 and ISCC PLUS and meet the definitions by ISO 22095:2020. The recycled feedstock is not measurable in the BASF mass balance product. The cradle to gate PCF is calculated according to TFS Methodology using an Upstream System Expansion (USE) approach. USE accounts for a credit for the displaced waste treatment from the first life cycle (e.g. incineration), thereby reducing the product carbon footprint compared to the equivalent conventional fossil product. PCF data is subject to periodical reviews.

# HEAD PROTECTION

— 26

## GLOBAL ICONS

KASK safety helmets have become recognized around the world for their exceptional safety, attention to design details, and worker comfort.

# OVERVIEW OF SELECT STANDARDS FOR KASK HELMETS

## EUROPEAN STANDARDS

### EN 397

The European safety standard for industrial helmets covering top impact absorption, penetration resistance, flame resistance, and chinstrap requirements with additional optional testing.

#### IMPACT & PENETRATION

- Meets top of head protection requirements

#### CHINSTRAP STRENGTH

- Withstands >15 kg to reduce risk of coming off in a fall
- Not exceed < 25 kg to reduce risk of strangulation if snagged

#### OPTIONAL TESTING

- Electrical Insulation (440 Volts)
- Extreme Temperature Resistance
- Molten Metal Splash Protection
- Lateral Deformation

### EN 12492

The European safety standard for climbing and mountaineering helmets covering top and lateral impact absorption, penetration resistance, and chinstrap requirements.

#### IMPACT & PENETRATION

- Meets top of head and lateral protection requirements

#### CHINSTRAP STRENGTH

- Withstands > 50 kg to reduce risk of coming off in a fall
- Chinstrap is only able to stretch up to 25 mm max
- Helmet must not be able to slide from head

### EN 14052

The European High Performance industrial standard for high risk environments covering top and lateral impact absorption, penetration resistance, and chinstrap requirements with additional optional testing.

#### IMPACT & PENETRATION

- Meets high level top of head & lateral protection requirements

#### CHINSTRAP STRENGTH

- Withstands >15 kg to reduce risk of coming off in a fall
- Not exceed < 25 kg to reduce risk of strangulation if snagged

#### OPTIONAL TESTING

- Molten Metal Splash Protection
- Performance at higher and lower temperatures
- Resistance to radiant heat
- Electrical properties

### EN 50365

Supplemental to EN 397. The European testing method for electrical insulation helmets in low voltage environments.

#### REQUIREMENTS

- Helmet must meet requirements in accordance with EN397
- Helmet must not contain any conductive parts
- Air vents (if applicable) must not allow contact with live parts

#### ELECTRICAL INSULATION FOR A CLASS 0 MUST MEET EITHER/OR

- Protection against alternating voltage up to 1,000 Volts AC
- Protection against direct voltage up to 1,500 Volts DC



## AMERICAN STANDARDS

### ANSI Z89.1

The U.S. safety standard for industrial helmets covering impact absorption, penetration resistance, flame resistance, and electrical insulation ratings.

#### HELMET TYPE

- TYPE I – Meets top of head protection requirements
- TYPE II – Meets top and lateral protection requirements

#### ELECTRICAL INSULATION

- CLASS C – Conductive - No electrical protection
- CLASS G – General - withstands 2,200 Volts
- CLASS E – Electrical - withstands 20,000 Volts

#### OPTIONAL TESTING

- Meets low or high temperature operating ranges

## CANADIAN STANDARDS

### CSA Z94.1

The Canadian safety standard for industrial helmets covering impact absorption, penetration resistance, flame resistance, and electrical insulation ratings.

#### HELMET TYPE

- TYPE I – Meets top of head protection requirements
- TYPE II – Meets top and lateral protection requirements

#### ELECTRICAL INSULATION

- CLASS C – Conductive - No electrical protection
- CLASS G – General - withstands 2,200 Volts
- CLASS E – Electrical - withstands 20,000 Volts

#### OPTIONAL TESTING

- Helmet can be worn backwards and meet standards

## AUSTRALIAN & NEW ZEALAND STANDARDS

### AS/NZS 1801

The Australian safety standard for industrial helmets covering impact absorption, penetration resistance, flame resistance, and electrical insulation ratings.

#### HELMET TYPE

- TYPE 1 – Meets top and lateral protection requirements
- TYPE 2 – Meets high temperature workplace requirements
- TYPE 3 – Meets bushfire fighting requirements

#### ELECTRICAL INSULATION

- Operation up to 650 Volts

#### OPTIONAL TESTING

- Meets low or high temperature operating ranges
- Flame Resistance

KASK HELMETS  
EXCEEDING SAFETY STANDARDS

		TOP IMPACTS		PENETRATION OF OBJECTS	SIDE, FRONT AND REAR IMPACTS	CHINSTAP RELEASE
	<b>ZENITH X</b> <b>ZENITH X HI VIZ</b> EN 397 - EN 50365	●	●	●	● <b>K</b>	●
		5 kg from 1 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	<b>ZENITH X AIR</b> <b>ZENITH X AIR HI VIZ</b> EN 397 - EN 50365	●	●	●	● <b>K</b>	●
		5 kg from 1 m 50 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	<b>ZENITH X PL</b> <b>ZENITH X PL HI VIZ</b> EN 12492	●	●	●	●	
		5 kg from 2 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	
	<b>PRIMERO</b> <b>PRIMERO HI VIZ</b> EN 397 - EN 50365	●	● <b>K</b>	●	● <b>K</b>	●
		5 kg from 1 m 50 J	5 kg from 2 m 100 J	3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	<b>PRIMERO AIR</b> <b>PRIMERO AIR HI VIZ</b> EN 397 - EN 50365	●	● <b>K</b>	●	● <b>K</b>	●
		5 kg from 1 m 50 J	5 kg from 2 m 100 J	3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	<b>PRIMERO PL</b> <b>PRIMERO PL HI VIZ</b> EN 12492	●	●	●	●	
		5 kg from 2 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	
	<b>SUPERPLASMA AQ</b> <b>SUPERPLASMA AQ HI VIZ</b> EN 397	●	●	●	● <b>K</b>	●
		5 kg from 1 m 50 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	> 15 kg < 25 kg
	<b>SUPERPLASMA PL</b> <b>SUPERPLASMA PL HI VIZ</b> EN 12492	●	●	●	●	
		5 kg from 2 m 100 J		3 kg from 1 m 30 J	5 kg from 0,5 m 25 J	
	<b>SUPERPLASMA HP</b> <b>SUPERPLASMA HP VISOR</b> EN 14052	●	●	●	●	●
		5 kg from 2 m 100 J		1 kg from 2,5 m 25 J Off-Crown: 1 kg from 2 m 20 J	5 kg from 1 m 50 J	> 15 kg < 25 kg

● Required performance tests for certification

Ⓚ EN 397 optional requirements

Ⓚ EN 12492 added performance tests

CHINSTAP RESISTANCE	RETENTION SYSTEM EFFECTIVENESS	ELECTRIC SHOCK PROTECTION	ELECTRIC INSULATION	LOWER TEMPERATURE RESISTANCE	LATERAL DEFORMATION	MOLTEN METAL SPLASH
		● EN 50365 (Class 0)	Ⓚ 440V	Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
		● EN 50365 (Class 0)		Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
● > 50 kg	●					
		● EN 50365 (Class 0)	Ⓚ 440V	Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
		● EN 50365 (Class 0)		Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
● > 50 kg	●			Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
				Ⓚ T= -30°C	Ⓚ LD	Ⓚ MM
● > 50 kg	●					
	●				Ⓚ LD	



# ZENITH X

— 30

Our passion for worker comfort and performance fueled the inspiration to design a helmet without compromise — one that is exponentially better.





# FEATURES.



**FRONT ATTACHMENT POINT**  
Holds accessories such as badges and headlamps.



**EARMUFF ATTACHMENT SLOTS**  
Designed with integrated slots for attaching earmuffs.



**HI-VIZ NAMEPLATE**  
Designed with rear high visibility nameplate for easy identification.

— 32



**RING TO HOOK**  
Enables secure attachment of helmet to harness or other items.



**EASY CLICK SYSTEM**  
Integrated slots that enable seamless accessory attachment. Applies to KASK eye, face, and hearing protection.



**ADVANCED CHINSTRAP**  
Eco-leather chinstrap designed with new, rear adjustment points for a more personalized fit. Accommodates wider sizes and adapts to earmuff use. Color-coded fasteners indicate which EN standard the chinstrap meets.



**DRY+ LINER**

Advanced composite fabric integrated with Hydrocool® moisture-wicking technology and exceptionally soft textiles for enhanced user comfort.



**POLYPROPYLENE HD EXTERNAL SHELL**

Offers exponentially better impact protection especially at lower temperatures.



**ELECTRIC SHOCK PROTECTION**

Protection against electric hazards.



**ADAPTIVE FIT SYSTEM**

A size adjustment system which integrates three components for all-day comfort. A new, double diameter dial allows for easier size adjustments. Ergonomic side wings ensure a fast and secure fit against the back of the head. The patented Self Adaptive Live Hinge is the latest, self-adjusting fit technology that moves as the wearer moves.



**LATERAL ADJUSTMENT DIVIDER**

Side adjustment points on chinstrap for secure fit.



**REPLACEABLE LAMP CLIPS**

Four lamp attachment points designed to be removable.



# ZENITH X

Exceptional safety and comfort designed with multiple accessory options for enhanced protection in high voltage environments.

WHE00073  
EN 397 - EN 50365



— 34



WHE00073-201  
WHITE



WHE00073-202  
YELLOW



WHE00073-203  
ORANGE



WHE00073-204  
RED



WHE00073-205  
GREEN



WHE00073-206  
BRITISH GREEN



WHE00073-208  
BLUE



WHE00073-209  
ANTHRACITE



WHE00073-210  
BLACK



WHE00073-214  
PINK



WHE00073-215  
LIGHT GREY

**INCLUDES**



WAC00026  
DRAWSTRING  
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap ( ↔ +10 cm)  
Part number WHE00125 - Zenith X LC

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



**STANDARD**  
EN 397 | 440V a.c. / -30°C / LD / MM  
EN 50365 (Class 0)

CE 2008 UK 8503

EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
4.2.2 | Penetration



**MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon



**TEMPERATURE OF USE**  
-30°C / +50°C



**SIZE**  
Universal-adjustable from 52 to 63 cm



**WEIGHT**  
490 g



**CATEGORY**  
III

## ORDER LOGISTICS

**MASTERBOX**  
pieces 18

**DIMENSIONS**  
cm 82 x 47 x 56

**WEIGHT**  
kg 16

## KASK DURABILITY

**3 YEARS**  
GUARANTEE

**10 YEARS**  
LIFE SPAN

# ZENITH X HI VIZ

Exceptional safety and comfort designed with multiple accessory options for enhanced protection in high voltage environments. Available in high-visibility color options.

WHE00074  
EN 397 - EN 50365



— 36



WHE00074-201  
WHITE



WHE00074-221  
YELLOW FLUO



WHE00074-222  
ORANGE FLUO

## INCLUDES



WAC00026  
DRAWSTRING  
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm)  
Part number WHE00126 - Zenith X LC HI VIZ

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



**STANDARD**  
EN 397 | 440V a.c. / -30°C / LD / MM  
EN 50365 (Class 0)

CE 2008 UK 8503

EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
4.2.2 | Penetration



**MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon



**TEMPERATURE OF USE**  
-30°C / +50°C



**SIZE**  
Universal-adjustable from 52 to 63 cm



**WEIGHT**  
490 g



**CATEGORY**  
III

## ORDER LOGISTICS

**MASTERBOX**  
pieces 18

**DIMENSIONS**  
cm 82 x 47 x 56

**WEIGHT**  
kg 16

## KASK DURABILITY

**3** YEARS  
GUARANTEE

**10** YEARS  
LIFE SPAN

# ZENITH X AIR

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection.

WHE00075  
EN 397 - EN 50365



— 38



WHE00075-201  
WHITE



WHE00075-202  
YELLOW



WHE00075-203  
ORANGE



WHE00075-204  
RED



WHE00075-205  
GREEN



WHE00075-206  
BRITISH GREEN



WHE00075-208  
BLUE



WHE00075-209  
ANTHRACITE



WHE00075-210  
BLACK



WHE00075-214  
PINK



WHE00075-215  
LIGHT GREY



WAC00026  
DRAWSTRING  
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap ( ↔ +10 cm)  
Part number WHE00127 - Zenith X AIR LC

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



**STANDARD**  
EN 397 | -30°C / LD / MM  
EN 50365 (Class 0)

CE 2008 UK 8503

EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
4.2.2 | Penetration  
4.1.4 | Ventilation



**MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon



**TEMPERATURE OF USE**  
-30°C / +50°C



**SIZE**  
Universal-adjustable from 52 to 63 cm



**WEIGHT**  
490 g



**CATEGORY**  
III

## ORDER LOGISTICS

**MASTERBOX**  
pieces 18

**DIMENSIONS**  
cm 82 x 47 x 56

**WEIGHT**  
kg 16

## KASK DURABILITY

**3 YEARS**  
GUARANTEE

**10 YEARS**  
LIFE SPAN

# ZENITH X AIR HI VIZ

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection. Available in high-visibility color options.

WHE00076  
EN 397 - EN 50365



— 40



WHE00076-201  
WHITE



WHE00076-221  
YELLOW FLUO



WHE00076-222  
ORANGE FLUO

## INCLUDES



WAC00026  
DRAWSTRING  
HELMET BAG

All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm)  
Part number WHE00128 - Zenith X AIR LC HI VIZ

## FEATURED TECHNOLOGIES

POLYPROPYLENE  
HI-VIZ HD EXTER-  
NAL SHELLNEOPOR® CCY-  
CLED® D-CORE  
TECHNOLOGYNEOPOR® CCY-  
CLED® HD CROWN  
PROTECTIONCLICK-IN  
SYSTEM

DRY+ LINER

ADAPTIVE FIT  
SYSTEMELECTRICAL SHOCK  
PROTECTIONVENTILATION  
CHANNELS

ECO LEATHER

ADVANCED  
CHINSTRAPLATERAL ADJUST-  
MENT DIVIDERRING  
TO HOOKEARMUFF  
ATTACHMENT  
SLOTSHI-VIZ  
NAMEPLATEFRONT ATTACH-  
MENT POINTEARPLUG  
HOOKSREPLACEABLE  
LUMINESCENT  
LAMP CLIPSEASY CLICK  
SYSTEMHI-VIZ REFLECTIVE  
DECALS

## TECHNICAL DETAILS



**STANDARD**  
EN 397 | -30°C / LD / MM  
EN 50365 (Class 0)

CE 2008 UK 8503

EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
4.2.2 | Penetration  
4.1.4 | Ventilation



**MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon



**TEMPERATURE OF USE**  
-30°C / +50°C



**SIZE**  
Universal-adjustable from 52 to 63 cm



**WEIGHT**  
490 g



**CATEGORY**  
III

## ORDER LOGISTICS

**MASTERBOX**  
pieces 18

**DIMENSIONS**  
cm 82 x 47 x 56

**WEIGHT**  
kg 16

## KASK DURABILITY

**3** YEARS  
GUARANTEE

**10** YEARS  
LIFE SPAN

# ZENITH X PL

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection. Exceeds EN Mountaineering standards.

WHE00079  
EN 12492



— 42



WHE00079-201  
WHITE



WHE00079-202  
YELLOW



WHE00079-203  
ORANGE



WHE00079-204  
RED



WHE00079-210  
BLACK



WHE00079-214  
PINK

## INCLUDES



WAC00026  
DRAWSTRING  
HELMET BAG

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon



-20°C / +35°C



Universal-adjustable from 52 to 63 cm



480 g



## ORDER LOGISTICS

**MASTERBOX**  
pieces 18

**DIMENSIONS**  
cm 82 x 47 x 56

**WEIGHT**  
kg 15,5

## KASK DURABILITY

**3** YEARS  
GUARANTEE

**10** YEARS  
LIFE SPAN

# ZENITH X PL HI VIZ

Exceptional safety and comfort designed with ventilation channels and multiple accessory options for enhanced protection. Exceeds EN Mountaineering standards. Available in high-visibility color options.

WHE00080

EN 12492



— 44



WHE00080-201  
WHITE



WHE00080-221  
YELLOW FLUO

## INCLUDES



WAC00026  
DRAWSTRING  
HELMET BAG

## FEATURED TECHNOLOGIES

-  POLYPROPYLENE HI-VIZ HD EXTERNAL SHELL
-  NEOPOR® CCYCLED® D-CORE TECHNOLOGY
-  NEOPOR® CCYCLED® HD CROWN PROTECTION
-  CLICK-IN SYSTEM
-  DRY+ LINER
-  ADAPTIVE FIT SYSTEM
-  VENTILATION CHANNELS
-  ECO LEATHER
-  HI-VIZ REFLECTIVE DECALS
-  LATERAL ADJUSTMENT DIVIDER
-  RING TO HOOK
-  EARMUFF ATTACHMENT SLOTS
-  HI-VIZ NAMEPLATE
-  FRONT ATTACHMENT POINT
-  EARPLUG HOOKS
-  REPLACEABLE LUMINESCENT LAMP CLIPS
-  EASY CLICK SYSTEM



## TECHNICAL DETAILS

 **STANDARD**  
EN 12492  
**CE UK CA**

 **CATEGORY**  
II

 **MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon

 **TEMPERATURE OF USE**  
-20°C / +35°C

 **SIZE**  
Universal-adjustable from 52 to 63 cm

 **WEIGHT**  
480 g

## ORDER LOGISTICS

**MASTERBOX**  
pieces 18

**DIMENSIONS**  
cm 82 x 47 x 56

**WEIGHT**  
kg 15,5

## KASK DURABILITY

**3** YEARS  
GUARANTEE

**10** YEARS  
LIFE SPAN

# ZENITH X COMBO

Exceptional safety and comfort designed with preinstalled mesh face shield and earmuffs for enhanced protection in high-voltage environments.

WHE00077  
EN 397 - EN 50365



— 46



WHE00077-203  
ORANGE



WHE00077-221  
YELLOW FLUO



WHE00077-210  
BLACK

## INCLUDES



WHP00005  
EARMUFFS SC2



WV100009  
ZEN MM VISOR



WAC00009  
EASY CLICK  
ADAPTERS



WAC00010  
VISOR CARRIER



WV100011  
BRIM



WAC00026  
DRAWSTRING  
HELMET BAG

FEATURED TECHNOLOGIES

-  POLYPROPYLENE HD EXTERNAL SHELL
-  NEOPOR® CCY-CLED® D-CORE TECHNOLOGY
-  NEOPOR® CCY-CLED® HD CROWN PROTECTION
-  CLICK-IN SYSTEM
-  DRY+ LINER
-  ADAPTIVE FIT SYSTEM
-  ELECTRICAL SHOCK PROTECTION
-  ELECTRICAL INSULATION
-  ECO LEATHER ADVANCED CHINSTRAP
-  LATERAL ADJUSTMENT DIVIDER
-  RING TO HOOK
-  EARMUFF ATTACHMENT SLOTS
-  HI-VIZ NAMEPLATE
-  FRONT ATTACHMENT POINT
-  EARPLUG HOOKS
-  REPLACEABLE LUMINESCENT LAMP CLIPS
-  EASY CLICK SYSTEM
-  HI-VIZ REFLECTIVE DECALS



TECHNICAL DETAILS

 **STANDARD**  
 EN 397 | 440V a.c. / -30°C / LD / MM  
 EN 50365 (Class 0)  
**CE** 2008 **UK** 8503  
**CA**  
 EN 12492  
 for the following clauses only:  
 Shock energy absorption capacity  
 4.2.1.2 front impact, 4.2.1.3 lateral impact,  
 4.2.1.4 rear impact  
 4.2.2 | Penetration

**VISOR**  
 STANDARD  
 EN 1731  
 ANSI Z87.1  
 CATEGORY: II  
**CE** **UK**  
**CA**  
**EARMUFFS**  
 STANDARD  
 EN 352-3  
 ANSI S3.19

CATEGORY: III  
**CE** **UK**  
**CA** 1974

 **CATEGORY**  
 III

 **MATERIAL**  
 EXTERNAL SHELL: HD Polypropylene  
 INTERNAL SHELL: **Neopor® Cycled®** by BASF  
 HEADBAND: Soft PA Nylon

 **TEMPERATURE OF USE**  
 -30°C / +50°C

 **SIZE**  
 Universal-adjustable from 52 to 63 cm

 **WEIGHT**  
 490 g (helmet)

ORDER LOGISTICS

**MASTERBOX**  
 pieces 8

**DIMENSIONS**  
 cm 82 x 54 x 47

**WEIGHT**  
 kg 14

KASK DURABILITY

**3** YEARS  
 GUARANTEE

**10** YEARS  
 LIFE SPAN

# ZENITH X AIR COMBO

Exceptional safety and comfort designed with ventilation channels, preinstalled mesh face shield and earmuffs for enhanced protection.

WHE00078  
EN 397 - EN 50365



— 48



WHE00078-203  
ORANGE



WHE00078-221  
YELLOW FLUO



WHE00078-210  
BLACK

## INCLUDES



WHP00005  
EARMUFFS SC2



WVI00009  
ZEN MM VISOR



WAC00009  
EASY CLICK  
ADAPTERS



WAC00010  
VISOR CARRIER




WVI00011  
BRIM



WAC00026  
DRAWSTRING  
HELMET BAG

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



**STANDARD**  
EN 397 | -30°C / LD / MM  
EN 50365 (Class 0)

CE 2008 UK CA 8503

EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.2 front impact, 4.2.1.3 lateral impact,  
4.2.1.4 rear impact  
4.2.2 | Penetration  
4.1.4 | Ventilation



**CATEGORY**  
III

**VISOR**  
STANDARD  
EN 1731  
ANSI Z87.1

CATEGORY: II

CE UK CA

**EARMUFFS**  
STANDARD  
EN 352-3  
ANSI S3.19

CATEGORY: III

CE UK CA 1974



**MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon



**TEMPERATURE OF USE**  
-30°C / +50°C



**SIZE**  
Universal-adjustable from 52 to 63 cm



**WEIGHT**  
490 g

## ORDER LOGISTICS

**MASTERBOX**  
pieces 8

**DIMENSIONS**  
cm 82 x 54 x 47

**WEIGHT**  
kg 14

## KASK DURABILITY

**3** YEARS  
GUARANTEE

**10** YEARS  
LIFE SPAN

# ZENITH X PL COMBO

Exceptional safety and comfort designed with ventilation channels, preinstalled mesh face shield and earmuffs for enhanced protection. Exceeds EN Mountaineering standards.

WHE00081  
EN 12492



— 50



WHE00081-203  
ORANGE



WHE00081-221  
YELLOW FLUO



WHE00081-210  
BLACK

## INCLUDES



WHP00005  
EARMUFFS SC2



WVI00009  
ZEN MM VISOR



WAC00009  
EASY CLICK  
ADAPTERS



WAC00010  
VISOR CARRIER



WVI00011  
BRIM



WAC00026  
DRAWSTRING  
HELMET BAG

FEATURED TECHNOLOGIES

-   
POLYPROPYLENE HD EXTERNAL SHELL
-   
NEOPOR® CCY-CLED® D-CORE TECHNOLOGY
-   
NEOPOR® CCY-CLED® HD CROWN PROTECTION
-   
CLICK-IN SYSTEM
-   
DRY+ LINER
-   
ADAPTIVE FIT SYSTEM
-   
VENTILATION CHANNELS
-   
ECO LEATHER  
ADVANCED CHINSTRAP
-   
HI-VIZ REFLECTIVE DECALS
-   
LATERAL ADJUSTMENT DIVIDER
-   
RING TO HOOK
-   
EARMUFF ATTACHMENT SLOTS
-   
HI-VIZ NAMEPLATE
-   
FRONT ATTACHMENT POINT
-   
EARPLUG HOOKS
-   
REPLACEABLE LUMINESCENT LAMP CLIPS
-   
EASY CLICK SYSTEM



TECHNICAL DETAILS

 **HELMET STANDARD**  
EN 12492  
CE UK CA

**VISOR STANDARD**  
EN 1731  
ANSI Z87.1

CATEGORY: II

CE UK CA

**EARMUFFS STANDARD**  
EN 352-3  
ANSI S3.19

CATEGORY: III

CE UK CA 1974

 **CATEGORY II**

 **MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon

 **TEMPERATURE OF USE**  
-20°C / +35°C

 **SIZE**  
Universal-adjustable from 52 to 63 cm

 **WEIGHT**  
480 g (helmet)

ORDER LOGISTICS

**MASTERBOX**  
pieces 8

**DIMENSIONS**  
cm 82 x 54 x 47

**WEIGHT**  
kg 14

KASK DURABILITY

**3 YEARS GUARANTEE**

**10 YEARS LIFE SPAN**

# PRIMERO

— 52

Our commitment to safety, comfort, and design enabled the development of a helmet that makes it easy for anyone to experience advanced head protection.





# FEATURES.



**FRONT ATTACHMENT POINT**  
Holds accessories such as badges and headlamps.



**POLYPROPYLENE HD EXTERNAL SHELL**  
Lightweight external shell with exponential better performance. Excels in impact absorption, especially at lower temperatures (-30°C). Resists yellowing and degradation.



**EARMUFF ATTACHMENT SLOTS**  
Designed with integrated slots for attaching earmuffs.

54



**RING TO HOOK**  
Enables secure attachment of helmet to harness or other items.



**EASY CLICK SYSTEM**  
Integrated slots that enable seamless accessory attachment. Applies to KASK eye, face, and hearing protection.



**ADVANCED LITE CHINSTRAP**  
Chinstrap with 5 adjustment points for a personalized fit. Accommodates wider head sizes and adapts to earmuff use. Color-coded fasteners indicate EN standard compliance rating.



**CLICK-IN SYSTEM**

Attachment system that lets padding easily snap in and out.



**NEOPOR® CCYCLED® INTERNAL SHELL**

Inner shell composed of high-density Neopor® Cycled® foam for all-around impact energy absorption and improved comfort.



**VENTILATION CHANNELS**

14 air intakes shaped for preventing debris entry.



**ERGO FIT SYSTEM**

Helmet size adjusting system that allows for an easy and secure fit by turning the large diameter dial. The system moves up and down to adapt to a range of head shapes. The ergonomically shaped wings cradle the back of the neck for added comfort.



**2DRY LINER**

Moisture-wicking fabric technology for all-day comfort.



**LATERAL ADJUSTMENT DIVIDER**

Side adjustment points on chin-strap for secure fit.



# PRIMERO

Advanced head protection made easy.

WHE00111  
EN 397 - EN 50365



56



WHE00111-201  
WHITE



WHE00111-202  
YELLOW



WHE00111-203  
ORANGE



WHE00111-204  
RED



WHE00111-205  
GREEN



WHE00111-206  
BRITISH GREEN  
(made-to-order)



WHE00111-207  
ROYAL  
(made-to-order)



WHE00111-208  
BLUE



WHE00111-210  
BLACK



WHE00111-209  
ANTHRACITE  
(made-to-order)



WHE00111-215  
LIGHT GREY  
(made-to-order)

## FEATURED TECHNOLOGIES

POLYPROPYLENE  
HD EXTERNAL  
SHELLNEOPOR® CCY-  
CLED® INTERNAL  
SHELLCLICK-IN  
SYSTEM

2DRY LINER

ERGO FIT  
SYSTEMELECTRICAL SHOCK  
PROTECTIONELECTRICAL  
INSULATIONADVANCED  
CHINSTRAPLATERAL  
ADJUSTMENT  
DIVIDERRING  
TO HOOKEARMUFF  
ATTACHMENT  
SLOTSFRONT ATTACH-  
MENT POINTNECK PROTECTOR  
SLOTEARPLUG  
HOOKSREPLACEABLE  
LAMP CLIPSEASY CLICK  
SYSTEM

## TECHNICAL DETAILS



**STANDARD**  
EN 397 | 440V a.c. / -30°C / LD / MM  
EN 50365 (Class 0)

CE 2008 UK 8503

EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.1 top impact, 4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
4.2.2 | Penetration



**MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon



**TEMPERATURE OF USE**  
-30°C / +50°C



**SIZE**  
Universal-adjustable from 52 to 63 cm



**WEIGHT**  
460 g



**CATEGORY**  
III

## ORDER LOGISTICS

**MASTERBOX**  
pieces 24

**DIMENSIONS**  
cm 79,5 x 58 x 47

**WEIGHT**  
kg 17

## KASK DURABILITY

**3** YEARS  
GUARANTEE

**10** YEARS  
LIFE SPAN

**KASK**

# PRIMERO HI VIZ

Advanced head protection made easy. Available in high-visibility color options.

WHE00112  
EN 397 - EN 50365



— 58



WHE00112-201  
WHITE



WHE00112-221  
YELLOW FLUO



WHE00112-222  
ORANGE FLUO  
(made-to-order)

## FEATURED TECHNOLOGIES



POLYPROPYLENE  
HI-VIZ HD EXTER-  
NAL SHELL



NEOPOR® CCY-  
CLED® INTERNAL  
SHELL



CLICK-IN  
SYSTEM



2DRY  
LINER



ERGO FIT  
SYSTEM



ELECTRICAL SHOCK  
PROTECTION



ELECTRICAL  
INSULATION



ADVANCED  
CHINSTRAP



LATERAL  
ADJUSTMENT  
DIVIDER



RING  
TO HOOK



EARMUFF  
ATTACHMENT  
SLOTS



FRONT ATTACH-  
MENT POINT



NECK PROTECTOR  
SLOT



EARPLUG  
HOOKS



REPLACEABLE  
LAMP CLIPS



EASY CLICK  
SYSTEM



HI-VIZ REFLECTIVE  
DECALS



## TECHNICAL DETAILS



**STANDARD**  
EN 397 | 440V a.c. / -30°C / LD / MM  
EN 50365 (Class 0)

CE 2008 UK 8503

EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.1 top impact, 4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
4.2.2 | Penetration



**MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: Neopor® Cycled® by BASF  
HEADBAND: Soft PA Nylon



**TEMPERATURE OF USE**  
-30°C / +50°C



**SIZE**  
Universal-adjustable from 52 to 63 cm



**WEIGHT**  
460 g



**CATEGORY**  
III

## ORDER LOGISTICS

**MASTERBOX**  
pieces 24

**DIMENSIONS**  
cm 79,5 x 58 x 47

**WEIGHT**  
kg 17

## KASK DURABILITY

**3 YEARS**  
GUARANTEE

**10 YEARS**  
LIFE SPAN

# PRIMERO AIR

Advanced vented head protection made easy.

WHE00113  
EN 397 - EN 50365



60



WHE00113-201  
WHITE



WHE00113-202  
YELLOW



WHE00113-203  
ORANGE



WHE00113-204  
RED



WHE00113-205  
GREEN



WHE00113-206  
BRITISH GREEN  
(made-to-order)



WHE00113-207  
ROYAL  
(made-to-order)



WHE00113-208  
BLUE



WHE00113-210  
BLACK



WHE00113-209  
ANTHRACITE  
(made-to-order)



WHE00113-215  
LIGHT GREY  
(made-to-order)

## FEATURED TECHNOLOGIES

POLYPROPYLENE  
HD EXTERNAL  
SHELLNEOPOR® CCY-  
CLED® INTERNAL  
SHELLCLICK-IN  
SYSTEM

2DRY LINER

ERGO FIT  
SYSTEMELECTRICAL SHOCK  
PROTECTIONVENTILATION  
CHANNELSADVANCED  
CHINSTRAPLATERAL  
ADJUSTMENT  
DIVIDERRING  
TO HOOKEARMUFF  
ATTACHMENT  
SLOTSFRONT ATTACH-  
MENT POINTNECK PROTECTOR  
SLOTEARPLUG  
HOOKSREPLACEABLE  
LAMP CLIPSEASY CLICK  
SYSTEM

## TECHNICAL DETAILS

**STANDARD**  
EN 397 | -30°C / LD / MM  
EN 50365 (Class 0)

CE 2008 UK 8503

EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.1 top impact, 4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
4.2.2 | Penetration  
4.1.4 | Ventilation**MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon**TEMPERATURE OF USE**  
-30°C / +50°C**SIZE**  
Universal-adjustable from 52 to 63 cm**WEIGHT**  
460 g**CATEGORY**  
III

## ORDER LOGISTICS

**MASTERBOX**  
pieces 24**DIMENSIONS**  
cm 79,5 x 58 x 47**WEIGHT**  
kg 17

## KASK DURABILITY

**3** YEARS  
GUARANTEE**10** YEARS  
LIFE SPAN

**KASK**

# PRIMERO AIR HI VIZ

Advanced vented head protection made easy. Available in high-visibility color options.

WHE00114  
EN 397 - EN 50365



— 62



WHE00114-201  
WHITE



WHE00114-221  
YELLOW FLUO



WHE00114-222  
ORANGE FLUO  
(made-to-order)

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



**STANDARD**  
EN 397 | -30°C / LD / MM  
EN 50365 (Class 0)

CE 2008 UK 8503

EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.1 top impact, 4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
4.2.2 | Penetration  
4.1.4 | Ventilation



**MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: Neopor® Cycled® by BASF  
HEADBAND: Soft PA Nylon



**TEMPERATURE OF USE**  
-30°C / +50°C



**SIZE**  
Universal-adjustable from 52 to 63 cm



**WEIGHT**  
460 g



**CATEGORY**  
III

## ORDER LOGISTICS

**MASTERBOX**  
pieces 24

**DIMENSIONS**  
cm 79,5 x 58 x 47

**WEIGHT**  
kg 17

## KASK DURABILITY

**3 YEARS**  
GUARANTEE

**10 YEARS**  
LIFE SPAN

# PRIMERO PL

Advanced head protection made easy meets the EN mountaineering standard.

WHE00115  
EN 12492



64



WHE00115-201  
WHITE



WHE00115-202  
YELLOW



WHE00115-203  
ORANGE



WHE00115-204  
RED



WHE00115-206  
BRITISH GREEN  
(made-to-order)



WHE00115-210  
BLACK



WHE00115-209  
ANTHRACITE  
(made-to-order)



WHE00115-215  
LIGHT GREY  
(made-to-order)

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



**STANDARD**  
EN 12492

CE UKCA

EN 397 | -30°C / LD / MM  
for the following clauses only:  
5.1.1 | Top impacts  
5.1.2 | Penetration  
5.1.3 | Flame resistance



**CATEGORY**  
II

**MATERIAL**

EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon

**TEMPERATURE OF USE**

-30°C / +50°C

**SIZE**

Universal-adjustable from 52 to 63 cm

**WEIGHT**

460 g

## ORDER LOGISTICS

**MASTERBOX**  
pieces 24

**DIMENSIONS**  
cm 79,5 x 58 x 47

**WEIGHT**  
kg 17

## KASK DURABILITY

**3** YEARS  
GUARANTEE

**10** YEARS  
LIFE SPAN

# PRIMERO PL HI VIZ

Advanced head protection made easy meets the EN mountaineering standard. Available in high-visibility color options.

WHE00116  
EN 12492



66



WHE00116-201  
WHITE



WHE00116-221  
YELLOW FLUO



WHE00116-222  
ORANGE FLUO  
(made-to-order)

## FEATURED TECHNOLOGIES

-  POLYPROPYLENE HI-VIZ HD EXTERNAL SHELL
-  NEOPOR® CCYCLED® INTERNAL SHELL
-  CLICK-IN SYSTEM
-  2DRY LINER
-  ERGO FIT SYSTEM
-  VENTILATION CHANNELS
-  ADVANCED CHINSTRAP
-  LATERAL ADJUSTMENT DIVIDER
-  RING TO HOOK
-  EARMUFF ATTACHMENT SLOTS
-  FRONT ATTACHMENT POINT
-  NECK PROTECTOR SLOT
-  EARPLUG HOOKS
-  REPLACEABLE LAMP CLIPS
-  EASY CLICK SYSTEM
-  HI-VIZ REFLECTIVE DECALS



## TECHNICAL DETAILS

 **STANDARD**  
EN 12492  
**CE UK CA**

EN 397 | -30°C / LD / MM  
for the following clauses only:  
5.1.1 | Top impacts  
5.1.2 | Penetration  
5.1.3 | Flame resistance

 **CATEGORY**  
II

 **MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon

 **TEMPERATURE OF USE**  
-30°C / +50°C

 **SIZE**  
Universal-adjustable from 52 to 63 cm

 **WEIGHT**  
460 g

## ORDER LOGISTICS

**MASTERBOX**  
pieces 24

**DIMENSIONS**  
cm 79,5 x 58 x 47

**WEIGHT**  
kg 17

## KASK DURABILITY

**3** YEARS  
GUARANTEE

**10** YEARS  
LIFE SPAN

# SUPERPLASMA

— 68

With a globally recognized design that signals KASK, these helmets enable workers to perform with confidence in a variety of demanding applications.

R130



KASK

KASK

# FEATURES.



### VENTILATION CHANNELS

Helmet designed with 10 air intakes that maximize internal airflow through outflow channels providing exceptional helmet breathability.



### ANTI-INTRUSION MESH

Metal mesh vent covers that prevent debris from entering the ventilation channels while maintaining breathability.



### HD POLYPROPYLENE EXTERNAL SHELL

Offers high impact resistance and lighter weight.

70



### INTEGRATED LAMP CLIPS

Designed with 4 built-in, nylon lamp attachment points. Compatible with KASK headlamps and other headlamps with elastic bands.



### LATERAL ADJUSTMENT DIVIDER

Side adjustment points on chinstrap for secure fit.



2DRY

**2DRY LINER**

A quick-drying technical fabric that accelerates the dispersion of sweat and moisture to the surface of the helmet padding for a dryer, more comfortable wear.



**VISOR ATTACHMENT POINTS**

Helmet designed with attachment points for securing KASK eye protection accessories.



**QUICK FIT SYSTEM**

Size adjustment system for maximum stability, easy to use thanks to a large diameter wheel.



**DETACHABLE INNER PADDING**

Hook-and-loop-enabled for easy removal, replacement, and washing.



**EARMUFF ADAPTER ATTACHMENT POINTS**

Helmet designed with attachment points for earmuff adapters.



# SUPERPLASMA AQ

The global benchmark for quality, safety, and design.

WHE00104  
EN 397



72



WHE00104-201  
WHITE



WHE00104-202  
YELLOW



WHE00104-203  
ORANGE



WHE00104-204  
RED



WHE00104-205  
GREEN



WHE00104-206  
BRITISH GREEN



WHE00104-207  
ROYAL



WHE00104-208  
BLUE



WHE00104-210  
BLACK



WHE00104-214  
PINK

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



**STANDARD**  
EN 397 | -30°C / LD / MM



EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
4.2.2 | Penetration  
4.1.4 | Ventilation



**CATEGORY**  
II



**MATERIAL**  
EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon



**TEMPERATURE OF USE**  
-30°C / +50°C



**SIZE**  
Universal-adjustable from 51 to 63 cm



**WEIGHT**  
390 g

## ORDER LOGISTICS

**MASTERBOX**  
pieces 24

**DIMENSIONS**  
cm 82 x 54 x 47

**WEIGHT**  
kg 14

## KASK DURABILITY

**3 YEARS**  
GUARANTEE

**10 YEARS**  
LIFE SPAN

# SUPERPLASMA AQ HI VIZ

The global benchmark for quality, safety, and design. Available in high-visibility color options.

WHE00105  
EN 397



74



WHE00105-201  
WHITE



WHE00105-208  
BLUE



WHE00105-210  
BLACK



WHE00105-221  
YELLOW FLUO



WHE00105-222  
ORANGE FLUO



WHE00105-223  
RED FLUO



WHE00105-224  
LIME FLUO



WHE00105-241  
WHITE/RED



WHE00105-251  
BLUE/YELLOW



WHE00105-253  
WHITE/GREEN

FEATURED TECHNOLOGIES

-   
 POLYPROPYLENE  
 HI-VIZ HD EXTER-  
 NAL SHELL
  -   
 NEOPOR®  
 CCYCLED®  
 INTERNAL SHELL
  -   
 2DRY LINER
  -   
 QUICK FIT SYSTEM
  -   
 RING  
 TO HOOK
  -   
 EARMUFF  
 ATTACHMENT  
 SLOTS
  -   
 VENTILATION  
 CHANNELS
  -   
 ANTI-INTRUSION  
 MESH
  -   
 VISOR  
 ATTACHMENT  
 POINTS
  -   
 INTEGRATED  
 LUMINESCENT  
 LAMP CLIPS
-   
 HI-VIZ REFLECTIVE  
 DECALS



TECHNICAL DETAILS

 **STANDARD**  
 EN 397 | -30°C / LD / MM  
 

EN 12492  
 for the following clauses only:  
 Shock energy absorption capacity  
 4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
 4.2.2 | Penetration  
 4.1.4 | Ventilation

 **CATEGORY**  
 II

 **MATERIAL**  
 EXTERNAL SHELL: HD Polypropylene  
 INTERNAL SHELL: **Neopor® Cycled®** by BASF  
 HEADBAND: Soft PA Nylon

 **TEMPERATURE OF USE**  
 -30°C / +50°C

 **SIZE**  
 Universal-adjustable from 51 to 63 cm

 **WEIGHT**  
 390 g

ORDER LOGISTICS

**MASTERBOX**  
 pieces 24

**DIMENSIONS**  
 cm 82 x 54 x 47

**WEIGHT**  
 kg 14

KASK DURABILITY

**3** YEARS  
 GUARANTEE

**10** YEARS  
 LIFE SPAN

**KASK**

# SUPERPLASMA HP

Designed for demanding environments that require High Performance standards.

WHE00106  
EN 14052



— 76



WHE00106-201  
WHITE



WHE00106-202  
YELLOW



WHE00106-204  
RED

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
EN 397 | LD  
for the following clauses only:  
5.1.1 | Shock absorption  
5.1.2 | Penetration resistance



## ORDER LOGISTICS

**MASTERBOX**  
pieces 24

**DIMENSIONS**  
cm 82 x 54 x 47

**WEIGHT**  
kg 16

## KASK DURABILITY

**3 YEARS**  
GUARANTEE

**10 YEARS**  
LIFE SPAN

# SUPERPLASMA HP VISOR

Designed for demanding environments that require High Performance standards. Available in high-visibility color options with preinstalled visor.

WHE00107  
EN 14052



78



WHE00107-201  
WHITE



WHE00107-202  
YELLOW



WHE00107-204  
RED

## INCLUDES



WV00018-500  
V2 PLUS CLEAR



WAC00026  
DRAWSTRING  
HELMET BAG

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



**STANDARD**  
EN 14052  
CE UK CA

EN 12492  
for the following clauses only:  
Shock energy absorption capacity  
4.2.1.2 front impact, 4.2.1.3 lateral impact, 4.2.1.4 rear impact  
EN 397 | LD  
for the following clauses only:  
5.1.1 | Shock absorption  
5.1.2 | Penetration resistance



**CATEGORY**  
II

**VISOR**  
STANDARD  
EN ISO 16321 | EN 14458  
ANSI Z87.1

CATEGORY: II  
CE UK CA



**MATERIAL**  
EXTERNAL SHELL: ABS  
INTERNAL SHELL: HD Expanded Polystyrene  
HEADBAND: Soft PA Nylon



**TEMPERATURE OF USE**  
-10°C / +50°C



**SIZE**  
Universal-adjustable from 51 to 63 cm



**WEIGHT**  
450 g (helmet)

## ORDER LOGISTICS

**MASTERBOX**  
pieces 12

**DIMENSIONS**  
cm 61 x 47 x 69

**WEIGHT**  
kg 12

## KASK DURABILITY

**3 YEARS**  
GUARANTEE

**10 YEARS**  
LIFE SPAN

**KASK**

# SUPERPLASMA PL

The preferred choice for active and above-ground applications.

WHE00108  
EN 12492



— 80



WHE00108-201  
WHITE



WHE00108-202  
YELLOW



WHE00108-203  
ORANGE



WHE00108-204  
RED



WHE00108-208  
BLUE



WHE00108-209  
ANTHRACITE



WHE00108-210  
BLACK



WHE00108-214  
PINK

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



## MATERIAL

EXTERNAL SHELL: HD Polypropylene  
INTERNAL SHELL: **Neopor® Cycled®** by BASF  
HEADBAND: Soft PA Nylon



## TEMPERATURE OF USE

-20°C / +35°C



## SIZE

Universal-adjustable from 51 to 62 cm



CATEGORY  
II



## WEIGHT

420 g

## ORDER LOGISTICS

MASTERBOX  
pieces 28

DIMENSIONS  
cm 82 x 54 x 47

WEIGHT  
kg 17

## KASK DURABILITY

3 YEARS  
GUARANTEE

10 YEARS  
LIFE SPAN

# SUPERPLASMA PL HI VIZ

The preferred choice for active and above-ground applications. Available in high-visibility color options.

WHE00109  
EN 12492



WHE00109-201  
WHITE



WHE00109-210  
BLACK



WHE00109-221  
YELLOW FLUO



WHE00109-223  
RED FLUO



WHE00109-224  
LIME FLUO

## FEATURED TECHNOLOGIES



## TECHNICAL DETAILS



## ORDER LOGISTICS

**MASTERBOX**  
pieces 28

**DIMENSIONS**  
cm 82 x 54 x 47

**WEIGHT**  
kg 17

## KASK DURABILITY

**3** YEARS  
GUARANTEE

**10** YEARS  
LIFE SPAN

# EYE & FACE PROTECTION

— 84

## SEE EASY

An advanced range of eye and face protection solutions designed to meet workers' needs for an expanding variety of dynamic hazardous environments.



KASK

KASK

# OVERVIEW OF SELECT STANDARDS FOR KASK EYE & FACE PROTECTION



## EUROPEAN STANDARDS

### EN ISO 16321

The new European safety standard required for eye and face protection for industrial use.

EN ISO 16321-1:2020 (Part 1) – General requirements  
 EN ISO 16321-2:2020 (Part 2) – Welding requirements  
 EN ISO 16321-3:2020 (Part 3) – Mesh visor requirements

#### MARKINGS:

##### OPTICAL CLASS

1 – Enhanced optical performance (optional)

##### LIGHT PROTECTION CODE

W – Welding filter (scale of 1.2 to 10)  
 U – Ultraviolet filter (scale of 1.2 to 5)  
 R – Infrared filter (scale of 1.2 to 10)  
 G – Sun glare filter (scale of 0 to 4)  
 L – Lens does not affect color or light

##### HEADFORMS

1-S - European headform Small  
 1-M - European headform Medium  
 1-L - European headform Large  
 2-S – Asian headform Small  
 2-M - Asian headform Medium  
 2-L - Asian headform Large  
 M – Medium size only

##### MECHANICAL PROTECTION

C – Low Impact Resistance (45m/s) + OPZ\*  
 D – Medium Impact Resistance (80m/s) + EOZ\*  
 E – High Impact Resistance (120m/s) + FPZ\*  
 CT – Low Impact at Extreme Temp (45m/s)  
 DT – Medium Impact at Extreme Temp (80m/s)  
 ET – High Impact at Extreme Temp (120m/s)  
 HM – High Mass (500g) Impact Resistance

\* Note: Impact protection levels are now accompanied by a protection zone code — the higher the impact level, the larger the required protection zone.

OPZ: Orbital Protection Zone  
 EOZ: Extended Orbital Protection Zone  
 FPZ: Face Protection Zone

##### FIELD OF USE

3 – Protection against liquid droplets  
 4 – Protection against large dust particles  
 5 – Protection against gas and fine dust particles  
 6 – Protection against streams of liquid  
 7 – Protection against radiant heat  
 9 – Protection against molten metal and hot solids

##### OPTIONAL REQUIREMENTS

K – Protection against fine dust particles  
 N – Resistance to lens fogging  
 CH – Chemical resistance

### EN 166

The core European safety standard required for eye and face protection. Includes a number of sub-categories.

#### SUPPLEMENTAL STANDARDS

EN 167 – Optical test methods  
 EN 168 – Non-optical test methods  
 EN 169 – Welding filters and related techniques  
 EN 170 – Ultraviolet (UV) filters  
 EN 171 – Infrared filters  
 EN 172 – Solar filters for industrial use  
 EN 1731 – Mesh face protection  
 EN 379 – Automatic welding filters  
 DGUV GS ET29 / ET30 – Arc flash protection

#### MARKINGS:

There are a number of standards and markings for eye and face protection. Selected ones are described here. Contact a KASK representative for additional information.

##### OPTICAL CLASS

1 – Best optical quality, for regular use  
 2 – Lesser optical quality, for occasional use  
 3 – Lowest optical quality, for exceptional use

##### LIGHT PROTECTION CODE

NONE – Welding filter  
 2 – Ultraviolet filter  
 2C – Ultraviolet filter with good color recognition  
 4 – Infrared filter  
 5 – Solar filter  
 6 – Solar filter with infrared protection

##### LIGHT PROTECTION GRADUATION

1.2 – Clear  
 1.7 – Yellow, clear with mirror finishing, UVR  
 2.5 – Brown, smoke  
 3.1 – Green, smoke with mirror finishing  
 3,2,5,...11 – Welding

##### MECHANICAL PROTECTION

A (T) – Resistance to high speed/high energy impact  
 B (T) – Resistance to high speed/medium energy impact  
 F (T) – Resistance to high speed/low energy impact  
 S – Increased robustness  
 A, B, or F, followed by T, indicates extreme temperature impact protection (-5° C / +55° C)

##### FIELD OF USE

3 – Protection against liquid droplets, splashes  
 4 – Protection against large dust particles  
 5 – Protection against fine dust particles  
 8 – Protection against short circuit electric arcs  
 9 – Protection against molten metal and hot solids

##### OPTIONAL REQUIREMENTS

K – Protection against fine dust particles  
 N – Resistance to lens fogging  
 H – Products designed for small heads  
 R – Enhanced infrared reflectance

## EN 14458

The European standard for high performance visors used with protective helmets for firefighting, ambulance and emergency services.

### **MARKINGS:**

#### **CLASSIFICATION**

= – General use  
+ – Firefighter use  
NONE – Net visors

#### **PROTECTED AREA**

☺ – Face protection  
☉ – Eye protection

#### **MECHANICAL & LIGHT PROTECTION**

(same as EN ISO 16321 & EN 166)



## AMERICAN STANDARDS

## ANSI Z87.1

The U.S. safety standard for testing, marking, and maintaining eye and face protection – includes sub-categories.

### **SUPPLEMENTAL STANDARDS\***

ASTM F2178 – Arc flash protection

### **MARKINGS:**

There are a number of standards and markings for eye and face protection. Selected ones are described here. Contact a KASK representative for additional information.

#### **MECHANICAL PROTECTION**

Z87 – General lens and frame impact resistance  
Z87+ – Impact mark

#### **FILTER PERFORMANCE**

NONE – Clear lens  
U – Ultraviolet filter  
V – Variable tint filter  
W – Welding filter  
L – Visible light filter  
R – Infrared filter  
X – Anti-fog filter  
S – Special purpose lenses  
Symbols are followed by a number, indicating filter performance level

#### **FIELD OF USE**

D3 – Protection against droplets, splashes  
D4 – Protection against dust  
D5 – Protection against fine dust



# OVERVIEW OF TECHNOLOGIES.



## COMPATIBLE WITH GLASSES

Designed for use over corrective glasses.



## ANTI-FOG

Equipped with an anti-fog treatment to increase wearer visibility when active and in a variety of conditions.



## MICRO VENTILATION

Provides airflow and breathability while resisting debris intrusion.



## PANORAMIC LENS

Developed to maximize visibility with minimal viewing distortion.



## CUT PROOF EDGE

Eye shield edge detail designed with a cut proof edge for enhanced wearer safety.



## DRIP PROOF UPPER CONTOUR

Rubber edge protects eyes from liquid and debris from entering the visor.



## DEBRIS PROTECTION

Designed with a reinforced frame for protection against debris.



### HEXAGONAL MESH

Hexagonal matrix pattern enables airflow, visibility, and durability.



### ANTI-INTRUSION GUARDS

High-comfort, polyurethane foam that protects from dust, liquid, and chemical splashes.



### STABLE CARRIER

Reinforced face shield carrier for added protection and durability.



### SEE-THROUGH CHIN PROTECTION

Equipped with transparent chin protection for enhanced range of worksite visibility.



### ABRASION AND SCRATCH RESISTANCE

Lens treatment designed with protection from abrasion and scratches with increased durability and viewing clarity.



### EXTREME TEMP IMPACT RESISTANCE

Able to withstand impacts at extreme temperatures for use in a variety of environments.



### > CRI 95

Designed with excellent Color Rendering Index performance for greater color contrast and visibility.



ZENITH X | PRIMERO  
**ZEN VISOR**

WVI00038  
EN ISO 16321 - ANSI Z87.1



OPTIONS



WVI00038-500  
CLEAR

WVI00038-510  
SMOKE

WVI00038-520  
SILVER MIRROR

COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

ALL VISORS NEED ADAPTERS (WAC00009) TO BE MOUNTED ON HELMET.

TECHNICAL DETAILS

<b>MATERIAL</b> Polycarbonate	<b>STANDARD</b> EN ISO 16321 <b>CE</b>
<b>LENGTH</b> 110 cm	ANSI Z87.1
<b>WEIGHT</b> 80 g	<b>CATEGORY</b> II
<b>TEMPERATURE OF USE</b> -5°C +55°C	<b>ENHANCED OPTICAL PERFORMANCE</b> 1

MARKINGS

**CLEAR:** ZEN|MMYY|CE|KASK|UL1,2|DT|1|-5°C +55°C|K|N|CH  
16321|KASK|DT|1-M|-5°C +55°C|CH  
**SMOKE:** ZEN|MMYY|CE|KASK|UL1,2|DT|1|-5°C +55°C|K|N|CH  
16321|KASK|DT|1-M|-5°C +55°C|CH  
**SILVER MIRROR:** ZEN|MMYY|CE|KASK|UL1,2|DT|1|-5°C +55°C|K|N|CH  
16321|KASK|DT|1-M|-5°C +55°C|CH

ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	pieces	36
<b>WEIGHT</b>	cm	78 x 48 x 50
	kg	10

TECHNOLOGIES



90

ZENITH X | PRIMERO KIT  
**ZEN VISOR KIT**

WKI00020  
EN ISO 16321 - ANSI Z87.1



OPTIONS



WKI00020-500  
KIT ZEN VISOR  
CLEAR

WKI00020-510  
KIT ZEN VISOR  
SMOKE

WKI00020-520  
KIT ZEN VISOR  
SILVER MIRROR

KIT INCLUDES



WVI00038-500 | 510 | 520  
VISOR

WAC00009  
ADAPTERS

TECHNICAL DETAILS

<b>MATERIAL</b> Polycarbonate	<b>STANDARD</b> EN ISO 16321 <b>CE</b>
<b>LENGTH</b> 110 cm	ANSI Z87.1
<b>WEIGHT</b> 80 g	<b>CATEGORY</b> II
<b>TEMPERATURE OF USE</b> -5°C +55°C	<b>ENHANCED OPTICAL PERFORMANCE</b> 1

MARKINGS

**CLEAR:** ZEN|MMYY|CE|KASK|UL1,2|DT|1|-5°C +55°C|K|N|CH  
16321|KASK|DT|1-M|-5°C +55°C|CH  
**SMOKE:** ZEN|MMYY|CE|KASK|UL1,2|DT|1|-5°C +55°C|K|N|CH  
16321|KASK|DT|1-M|-5°C +55°C|CH  
**SILVER MIRROR:** ZEN|MMYY|CE|KASK|UL1,2|DT|1|-5°C +55°C|K|N|CH  
16321|KASK|DT|1-M|-5°C +55°C|CH

ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	pieces	36
<b>WEIGHT</b>	cm	78 x 48 x 50
	kg	10

TECHNOLOGIES



# ZENITH X | PRIMERO

## ZEN FF VISOR

WVI00008  
EN 166 - EN 170 (clear) - EN 172 (smoke) - ANSI Z87.1



### OPTIONS



WVI00008-500  
CLEAR



WVI00008-510  
SMOKE

### COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ALL VISORS NEED ADAPTERS (WAC00009) AND VISOR CARRIER (WAC00010) TO BE MOUNTED ON HELMET.

### TECHNICAL DETAILS

**MATERIAL**  
Polycarbonate

**STANDARD**  
EN 166  
EN 170 (clear)  
EN 172 (smoke)  
**CE UK CA**  
ANSI Z87.1

**LENGTH**  
120 cm

**WEIGHT**  
190 g

**OPTICAL CLASS**  
1

**CATEGORY**  
II

### MARKINGS

**CLEAR:**  
ZEN FF | MM/YY | CE | UKCA | 2C-1,2 | KASK | 1 | BT | 3 | 9 | KN | EN166

**SMOKE:**  
ZEN FF | MM/YY | CE | UKCA | 5-2,5 | KASK | 1 | BT | 3 | 9 | KN | EN166

### ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	24
<b>DIMENSIONS</b>	cm	78 x 48 x 50
<b>WEIGHT</b>	kg	8

### TECHNOLOGIES



ANTI-FOG



ABRASION  
AND  
SCRATCH  
RESISTANCE



PANORAMIC  
LENS



EASY CLICK  
ADAPTERS



DRIP PROOF  
UPPER CON-  
TOUR



COMPATIBLE  
WITH  
GLASSES

# ZENITH X | PRIMERO KIT

## ZEN FF VISOR KIT

WKI00003  
EN 166 - EN 170 (clear) - EN 172 (smoke, silver mirror) - ANSI Z87.1



### OPTIONS



WKI00003-500  
KIT ZEN VISOR  
CLEAR



WKI00003-510  
KIT ZEN VISOR  
SMOKE

### KIT INCLUDES



=



WVI00008-500 | 510  
FF VISOR

+



WAC00009  
ADAPTERS

+



WAC00010  
VISOR CARRIER

### TECHNICAL DETAILS

**MATERIAL**  
Polycarbonate

**STANDARD**  
EN 166  
EN 170 (clear)  
EN 172 (smoke)  
**CE UK CA**  
ANSI Z87.1

**LENGTH**  
120 cm

**WEIGHT**  
190 g

**OPTICAL CLASS**  
1

**CATEGORY**  
II

### MARKINGS

**CLEAR:**  
ZEN FF | MM/YY | CE | UKCA | 2C-1,2 | KASK | 1 | BT | 3 | 9 | KN | EN166

**SMOKE:**  
ZEN FF | MM/YY | CE | UKCA | 5-2,5 | KASK | 1 | BT | 3 | 9 | KN | EN166

### ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	36
<b>DIMENSIONS</b>	cm	78 x 48 x 50
<b>WEIGHT</b>	kg	10

### TECHNOLOGIES



ANTI-FOG



ABRASION  
AND  
SCRATCH  
RESISTANCE



PANORAMIC  
LENS



EASY CLICK  
ADAPTERS



DRIP PROOF  
UPPER CON-  
TOUR



COMPATIBLE  
WITH  
GLASSES



# ZEN METAL MESH VISOR

WVI00009  
EN 1731-ANSI Z87.1



## OPTIONS



WVI00009  
METAL

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

MESH VISOR NEEDS ADAPTERS (WAC00009) AND VISOR CARRIER (WAC00010) TO BE MOUNTED ON HELMET.

## TECHNICAL DETAILS

**MATERIAL**  
Metal

**STANDARD**  
EN 1731  
**CE UK CA**  
ANSI Z87.1

**LENGTH**  
190 cm

**WEIGHT**  
100 g

**CATEGORY**  
II

**OPTICAL CLASS**  
1

**LIGHT TRANSMISSION**  
50%

## MARKINGS

ZEN MM | MM/YY | KASK | CE | UKCA | EN 1731 | S

## TECHNOLOGIES



MICRO VENTILATION PROTECTION  
COMPATIBLE WITH GLASSES  
EASY CLICK ADAPTERS

## ORDER LOGISTICS

**MASTERBOX DIMENSIONS WEIGHT**

pieces	24
cm	78 x 48 x 50
kg	10

ZENITH X | PRIMERO KIT

# ZEN METAL MESH KIT

WKI00005  
EN 1731-ANSI Z87.1



## OPTIONS



WKI00005  
METAL

## KIT INCLUDES



WVI00009  
METAL

WAC00009  
ADAPTERS

WAC00010  
VISOR CARRIER

## TECHNICAL DETAILS

**MATERIAL**  
Metal

**STANDARD**  
EN 1731  
**CE UK CA**  
ANSI Z87.1

**LENGTH**  
190 cm

**WEIGHT**  
100 g

**CATEGORY**  
II

**OPTICAL CLASS**  
1

**LIGHT TRANSMISSION**  
50%

## MARKINGS

ZEN MM | MM/YY | KASK | CE | UKCA | EN 1731 | S

## TECHNOLOGIES



MICRO VENTILATION PROTECTION  
COMPATIBLE WITH GLASSES  
EASY CLICK ADAPTERS

## ORDER LOGISTICS

**MASTERBOX DIMENSIONS WEIGHT**

pieces	24
cm	78 x 48 x 50
kg	10

ZENITH X | PRIMERO

## ZEN FOAM VISOR

WVI00041 | S - WVI00042 | M  
EN ISO 16321 - ANSI Z87.1

## OPTIONS

WVI00041-500  
CLEARWVI00041-510  
SMOKEWVI00041-520  
SILVER MIRRORWVI00042-500  
CLEARWVI00042-510  
SMOKEWVI00042-520  
SILVER MIRROR

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ALL VISORS NEED ADAPTERS (WAC00009) TO BE MOUNTED ON HELMET.

## TECHNICAL DETAILS

**MATERIAL**  
Polycarbonate**STANDARD**  
EN ISO 16321

CE

**LENGTH**  
110 cm**WEIGHT**  
90 g**CATEGORY**  
II**TEMPERATURE OF USE**  
-5°C +55°C**ENHANCED OPTICAL  
PERFORMANCE**  
1

## MARKINGS

**CLEAR:** 16321 | KASK | DT | 1-M | -5°C +55°C | CH  
ZEN FOAM | MMYY | CE | KASK | UL1,2 | DT | 1 | -5°C +55°C | K | N | CH

**SMOKE:** 16321 | KASK | DT | 1-M | -5°C +55°C | CH  
ZEN FOAM | MMYY | CE | KASK | GL1 | DT | 1 | -5°C +55°C | K | N | CH

**SILVER MIRROR:** 16321 | KASK | DT | 1-M | -5°C +55°C | CH  
ZEN FOAM | MMYY | CE | KASK | GL2 | DT | 1 | -5°C +55°C | K | N | CH

## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	36
<b>DIMENSIONS</b>	cm	78 x 48 x 50
<b>WEIGHT</b>	kg	10

## TECHNOLOGIES



ANTI-FOG

ABRASION  
AND  
SCRATCH  
RESISTANCEPANORAMIC  
LENSEASY CLICK  
ADAPTERSDRIP PROOF  
UPPER CON-  
TOURANTI-INTRU-  
SION GUARDSCOMPATIBLE  
WITH  
GLASSES

ZENITH X | PRIMERO KIT

## MOUNT KIT

WKI00009 | MOUNT KIT ZEN FF/MM/PM/FS



## KIT INCLUDES

WAC00010  
VISOR CARRIERWAC00009  
ADAPTERS

## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	20
<b>DIMENSIONS</b>	cm	54 x 82 x 47
<b>WEIGHT</b>	kg	7

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

WKI00012 | BRIM KIT



## KIT INCLUDES

WAC00010  
VISOR CARRIERWAC00009  
ADAPTERSWVI00011  
BRIM

## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	24
<b>DIMENSIONS</b>	cm	49 x 79 x 52
<b>WEIGHT</b>	kg	4

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO



# V2 PLUS VISOR

WVI00036

EN ISO 16321 EN 14458 - ANSI Z87.1



## OPTIONS



WVI00036-500  
CLEAR



WVI00036-510  
SMOKE



WVI00036-520  
SILVER MIRROR

## COMPATIBLE WITH SERIES



SUPERPLASMA

SCREW SET FOR MOUNTING IS INCLUDED IN EVERY VISOR.



WAC00005  
VISOR SCREW SET

## TECHNICAL DETAILS

**MATERIAL**

Polycarbonate

**STANDARD**

EN ISO 16321  
EN 14458

**LENGTH**

110 cm



ANSI Z87.1

**WEIGHT**

80 g

**CATEGORY**

II

**TEMPERATURE OF USE**

-30°C +55°C

**ENHANCED OPTICAL PERFORMANCE**

1

## MARKINGS

**CLEAR:**

CE | EN14458:2018 | KASK | V2 PLUS | MM/YY | = | ⊙ | BT | 2C-1,2 | -30°C+50°C | ☐ | KASK | UL1,2 | DT | 1 | -5°C+55°C | K | N | CH | 7 | 16321 | KASK | DT | 1-M | -5°C+55°C

**SMOKE:**

CE | EN14458:2018 | KASK | V2 PLUS | MM/YY | = | ⊙ | BT | 5-1,4 | -30°C+50°C | ☐ | KASK | GL1 | DT | 1 | -5°C+55°C | K | N | CH | 7 | 16321 | KASK | DT | 1-M | -5°C+55°C

**SILVER MIRROR:**

CE | EN14458:2018 | KASK | V2 PLUS | MM/YY | = | ⊙ | BT | 5-2,5 | -30°C+50°C | ☐ | KASK | G2 | DT | 1 | -5°C+55°C | K | N | CH | 7 | 16321 | KASK | DT | 1-M | -5°C+55°C

## ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	pieces	42
<b>WEIGHT</b>	cm	78 x 48 x 50
	kg	11

## TECHNOLOGIES



ANTI-FOG



ABRASION AND SCRATCH RESISTANCE



PANORAMIC LENS



CUT PROOF EDGE



DRIP PROOF UPPER CONTOUR



COMPATIBLE WITH GLASSES



EXTREME TEMP IMPACT RESISTANCE

SUPERPLASMA

# V2 FULL FACE VISOR

WVI00037

EN ISO 16321 - ANSI Z87.1



## OPTIONS



WVI00037-500  
CLEAR



WVI00037-510  
SMOKE



WVI00037-520  
SILVER MIRROR

## KIT INCLUDES



SUPERPLASMA

SCREW SET FOR MOUNTING IS INCLUDED IN EVERY VISOR.



WAC00005  
VISOR SCREW SET

## TECHNICAL DETAILS

**MATERIAL**

Polycarbonate

**STANDARD**

EN ISO 16321

**LENGTH**

190 cm



ANSI Z87.1

**WEIGHT**

120 g

**CATEGORY**

II

**TEMPERATURE OF USE**

-5°C +55°C

**ENHANCED OPTICAL PERFORMANCE**

1

## MARKINGS

**CLEAR:**

V2 FULL FACE | MM/YY | CE | KASK | UL1,2 | ET | -5°C +55°C | K | N | CH | 9 | 16321 | KASK | ET | 1-M/1-L | -5°C +55°C | 6 | CH | 9

**SMOKE:**

V2 FULL FACE | MM/YY | CE | KASK | GL2 | ET | -5°C +55°C | K | N | CH | 9 | 16321 | KASK | ET | 1-M/1-L | -5°C +55°C | 6 | CH | 9

**SILVER MIRROR:**

V2 FULL FACE | MM/YY | CE | KASK | GL1 | ET | -5°C +55°C | K | N | CH | 9 | 16321 | KASK | ET | 1-M/1-L | -5°C +55°C | 6 | CH | 9

## ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	pieces	24
<b>WEIGHT</b>	cm	78 x 48 x 50
	kg	8

## TECHNOLOGIES



ANTI-FOG



ABRASION AND SCRATCH RESISTANCE



PANORAMIC LENS



COMPATIBLE WITH GLASSES



DRIP PROOF UPPER CONTOUR

# SUPERPLASMA FACE SHIELD

WVI00024  
EN 166 - ANSI Z87.1



## OPTIONS



WVI00024-500  
CLEAR

## COMPATIBLE WITH SERIES



SUPERPLASMA

ALL VISORS NEED ADAPTERS (WAC00005) TO BE MOUNTED ON HELMET.



WAC00005  
VISOR SCREW SET

## TECHNICAL DETAILS

<b>MATERIAL</b> Polycarbonate	<b>STANDARD</b> EN 166
<b>LENGTH</b> 180 cm	<b>CE UK</b> ANSI Z87.1

<b>WEIGHT</b> 70 g	<b>CATEGORY</b> II
-----------------------	-----------------------

<b>OPTICAL CLASS</b> 1
---------------------------

## MARKINGS

CE | UKCA | EN 166 | KASK | PLASMA FS | MM/YY | 1 | F | 3

## TECHNOLOGIES



PANORAMIC  
LENS

COMPATIBLE  
WITH  
GLASSES

DRIP PROOF  
UPPER CON-  
TOUR

## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	50
<b>DIMENSIONS</b>	cm	50 x 81 x 31
<b>WEIGHT</b>	kg	6

# SUPERPLASMA MESH VISOR

WVI00006  
EN 1731 - ANSI Z87.1



## MOUNTING PARTS



WVI00006  
MESH VISOR



WVI00005  
MESH VISOR  
CARRIER



WAC00003  
EARMUFF ADAPTERS



WAC00008  
VISOR CARRIER  
ATTACHMENT



WHP00004/5/6  
EARMUFFS



MESH VISOR IS COMPATIBLE ONLY WITH SUPERPLASMA HELMETS.  
SPARE PARTS ARE NOT INCLUDED IN ANY KIT.

## TECHNICAL DETAILS

<b>MATERIAL</b> Polypropylene and metal	<b>STANDARD</b> EN 1731
<b>LENGTH</b> 190 cm	<b>CE UK</b> ANSI Z87.1


<b>WEIGHT</b> 42 g	<b>CATEGORY</b> II
-----------------------	-----------------------

<b>LIGHT TRANSMISSION</b> 82-85,5%
---------------------------------------

## MARKINGS

EN 1731

## TECHNOLOGIES



MICRO  
VENTILATION

HEXAGONAL  
MESH

DEBRIS  
PROTECTION

COMPATIBLE  
WITH  
GLASSES

## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	24
<b>DIMENSIONS</b>	cm	78 x 48 x 50
<b>WEIGHT</b>	kg	8



# PROTECTION FROM ELECTRIC ARC

— 96

## SOLUTIONS FOR HIGH-RISK CONDITIONS

Built for environments that require even higher levels of protection.  
Focusing on fire-resistant, fire-retardant, arc-rated equipment.



ZENITH X CLOSED SHELL | PRIMERO CLOSED SHELL  
**ARC VISOR CLASS 1**

WVI00014  
 ISO 16321 - DGVU GS ET29



OPTIONS



WVI00014  
 CLEAR

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ARC FLASH MOUNTS WITHOUT ANY ADAPTER.

TECHNICAL DETAILS

**MATERIAL**  
 Polycarbonate

**STANDARD**  
 EN ISO 16321-1  
 DGVU GS-ET-29

**LENGTH**  
 245 cm

**CE** 1883 **UK** 0843

**GS-ET-29 (Box-Test)**  
 Class 1 / APC 1

**WEIGHT**  
 300 g

**CATEGORY**  
 III

MARKINGS



16321 KASK UL1,2 E 6  
 GS-ET-29 8-1-0 APC 1

TECHNOLOGIES



ELECTRIC ARC PROTECTION



STABLE CARRIER



PANORAMIC LENS



> CRI 95



COMPATIBLE WITH GLASSES

ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	pieces	10
<b>WEIGHT</b>	cm	60 x 40 x 40
	kg	4,5

ZENITH X CLOSED SHELL | PRIMERO CLOSED SHELL  
**ARC VISOR CLASS 2 ERGO**

WVI00034  
 ISO 16321 - DGVU GS ET29 | ASTM F2178: ATPV 12.0 cal/cm² ARC 2



OPTIONS



WVI00034  
 SMOKE

COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

ARC FLASH MOUNTS WITHOUT ANY ADAPTER.

TECHNICAL DETAILS

**MATERIAL**  
 Polycarbonate

**STANDARD**  
 EN ISO 16321-1  
 DGVU GS-ET-29

**LENGTH**  
 215 cm

**CE** 1883 **UK** 0843

ANSI Z87.1 + ASTM F2178  
 CSA Z94.3

**WEIGHT**  
 370 g

**GS-ET-29 (Box-Test)**  
 Class 2 / APC 2

**ATPV**  
 12 cal/cm², ARC 2

**CATEGORY**  
 III

MARKINGS



16321 KASK UL2 E 6 9 / GS-ET-29 8-2-2 APC 2  
 ATPV 12 cal/cm² / ANSI / ISEA Z87.1 KASK Z87 + U6  
 CSA Z94.3 KASK 2.0

TECHNOLOGIES



ELECTRIC ARC PROTECTION



STABLE CARRIER



PANORAMIC LENS



> CRI 95



COMPATIBLE WITH GLASSES

ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	pieces	8
<b>WEIGHT</b>	cm	60 x 40 x 40
	kg	4,6



SEE-THROUGH CHIN PROTECTION

ZENITH X | PRIMERO

## FR NECK PROTECTOR

WAC00034

EN 13688 | ASTM F1959/05 | IEC 61482/1 | ATPV 22.2 cal/cm<sup>2</sup>

## OPTIONS

WAC00034-514  
BLUE NIGHT

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

FR NECK PROTECTOR IS MOUNTED VIA EASY ATTACHMENT SYSTEM

## TECHNICAL DETAILS

## MATERIAL

Double layer fabric in  
93% Nomex®  
5% Kevlar®  
2% antistatic fiber

## STANDARD

EN 13688 | Protective clothing - general requirements

EN 11612 | Heat and flame protection

A1 - Limited flame spread  
B1 - Convective heat  
C1 - Radiant heat

## WEIGHT

80,5 g

EN 13034 | Protection against chemicals

Type PB [6] - protection against liquid chemicals:  
H<sub>2</sub>SO<sub>4</sub> - 30% dilution  
NaOH - 10% dilution  
o-Xylene – undiluted  
Butan-1-ol – undiluted

## SIZE

One size

EN1149-5 | Electrostatic properties (base fabric only)

Half decay time t<sub>50</sub> <4s  
Shielding factor S >0.2s

## CATEGORY

III

## TEST

ASTM F1959/05 | IEC 61482/1  
ATPV 22.2 cal/cm<sup>2</sup>

## TECHNOLOGIES

FIRE  
RESISTANT  
FABRIC

Test: ASTM F1959-05 | IEC  
61482/1 | ATPV 22.2 cal/cm<sup>2</sup>

Fire-resistant Nomex®  
fabric. Non-melting, self-  
extinguishing with no flame.

NON  
CONDUCTIVEHOOK-  
AND-LOOP  
FASTENERNECK AND  
EAR PROTEC-  
TIONEASY  
ATTACHMENT  
SYSTEM

## ORDER LOGISTICS

MASTERBOX	pieces	175
DIMENSIONS	cm	43 x 42 x 66
WEIGHT	kg	14



# HEARING PROTECTION

— 100

## SOUND SAFETY

A selection of non-conductive earmuffs that integrate seamlessly with helmets to reduce noise levels in high-volume environments.



**KASK**  
SC2  
CE 1974 EN 502

# OVERVIEW OF TECHNOLOGIES.



## CERTIFIED FOR USE WITH KASK HELMETS

Performance tested on all KASK helmets.



## COLOR CODED PERFORMANCE LEVEL

Color coded to indicate noise reduction performance level.



## EASY SIZE ADJUSTMENT

Designed to adjust seamlessly for almost any headshape or size.



## NON-CONDUCTIVE

Designed to not conduct heat or electricity.



## STANDARD 30 MM SLOT

Designed to attach in 30 mm EURO slots.



## SC1

WHP00004

EN 352-3 / ANSI S3.19



### DESCRIPTION

Green-colored earmuffs used in environments with low-to-medium noise levels. Typical applications include: general industrial work areas. Compatible with all KASK helmets.

### COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

SUPERPLASMA HELMET SERIES REQUIRE EARMUFFS ADAPTERS (WAC00003) FOR MOUNTING.

### TECHNICAL DETAILS

**MATERIAL**  
EAR CUPS AND SPACER: ABS thermoplastic  
**STANDARD**  
EN 352-3  
**CE UK CA** 1974  
FOAM LINER: Polyether

ANSI S3.19

**WEIGHT**  
280 g

**CATEGORY**  
III

### SNR / NRR

**SNR (EN 352-3)**  
All KASK helmets 25 dB (A)  
H 27 dB - M 23 dB - L 16 dB

**NRR (ANSI S3.19)**  
22 dB

### TECHNOLOGIES



STANDARD  
30 MM SLOT

COLOR  
CODED PER-  
FORMANCE  
LEVEL

EASY SIZE AD-  
JUSTMENT

NON-CON-  
DUCTIVE

CERTIFIED  
FOR USE  
WITH KASK  
HELMET

### ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	20
<b>DIMENSIONS</b>	cm	55 x 30 x 35
<b>WEIGHT</b>	kg	9

104

## SC2

WHP00005

EN 352-3 / ANSI S3.19



### DESCRIPTION

Yellow-colored earmuffs used in environments with medium-to-high noise levels. Typical applications include: building and construction, forestry use, industrial areas, production areas, agriculture, etc. Compatible with all KASK helmets.

### COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

SUPERPLASMA HELMET SERIES REQUIRE EARMUFFS ADAPTERS (WAC00003) FOR MOUNTING.

### TECHNICAL DETAILS

**MATERIAL**  
EAR CUPS AND SPACER: ABS thermoplastic  
**STANDARD**  
EN 352-3  
**CE UK CA** 1974  
FOAM LINER: Polyether

ANSI S3.19

**WEIGHT**  
320 g

**CATEGORY**  
III

### SNR / NRR

**SNR (EN 352-3)**  
All KASK helmets 29 dB (A)  
H 31 dB - M 27 dB - L 20 dB

**NRR (ANSI S3.19)**  
24 dB

### TECHNOLOGIES



STANDARD  
30 MM SLOT

COLOR  
CODED PER-  
FORMANCE  
LEVEL

EASY SIZE AD-  
JUSTMENT

NON-CON-  
DUCTIVE

CERTIFIED  
FOR USE  
WITH KASK  
HELMET

### ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	20
<b>DIMENSIONS</b>	cm	55 x 30 x 35
<b>WEIGHT</b>	kg	10

## EARMUFFS

## SC3

WHP0006

EN 352-3 / ANSI S3.19



## DESCRIPTION

Orange-colored earmuffs used in environments with high noise levels. Typical applications include: airports, car racing, while using pneumatic drills, etc. Compatible with all KASK helmets.

## COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

SUPERPLASMA HELMET SERIES REQUIRE EARMUFFS ADAPTERS (WAC00003) FOR MOUNTING.

## TECHNICAL DETAILS

<b>MATERIAL</b>	<b>STANDARD</b>
EAR CUPS AND SPACER: ABS thermoplastic	EN 352-3 <b>CE UK</b> 1974
FOAM LINER: Polyether	ANSI S3.19

**WEIGHT**  
350 g

**CATEGORY**  
III

## SNR / NRR



**SNR (EN 352-3)**  
All KASK helmets 31 dB (A)  
H 32 dB - M 30 dB - L 21 dB

**NRR (ANSI S3.19)**  
27 dB

## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	20
<b>DIMENSIONS</b>	cm	55 x 30 x 35
<b>WEIGHT</b>	kg	10

## TECHNOLOGIES



STANDARD  
30 MM SLOT



COLOR  
CODED PER-  
FORMANCE  
LEVEL



EASY SIZE AD-  
JUSTMENT



NON-CON-  
DUCTIVE



CERTIFIED  
FOR USE  
WITH KASK  
HELMET

# WEATHER PROTECTION

— 106

## CLIMATE COMFORT

Accessories that integrate with KASK helmets helping workers better handle environmental elements in comfort.



# OVERVIEW OF TECHNOLOGIES.



## EASY ATTACHMENT SYSTEM

Integrated slots in helmet that enable attachment of accessories.



## EARMUFF COMPATIBLE

Can be used with KASK hearing protection.



## FORM FITTING

Designed to work with helmets without compromising fit.



## ERGONOMIC FIT

Designed with an ergonomic neck cut for optimal head movement.



## CLICK-IN ATTACHMENT

Easy-to-use system that attaches directly to the helmet allowing secure accessory connections.



## NECK AND EAR PROTECTION

Designed to protect the neck and ears from weather and the environmental elements.



## ADJUSTABLE SIDE COVERAGE

Allows quick and easy adjustments while being worn.



## BREATHABLE

Designed to be breathable with increased airflow.



### UNDERSURFACE SUN REFLECTION

A dark undersurface prevents sun reflection and enhances all-day comfort.

---



### UV PROTECTION

Treated to protect from sunlight and block ultraviolet rays.

---



### WATERPROOF

Designed with rain protection of up to 10 meters of water column.

---



### WINDPROOF

Blocks wind for added comfort in different weather conditions.

---



### WIND RESISTANT

Protects from light wind without affecting breathability.

---



### COLD RESISTANT

Insulated accessories for enhanced comfort and protection in cold environments.

---



### WATER RESISTANT

Designed with light rain protection and water repellency.

---



### HYDRO OIL REPELLENT

Protects and repels from water and oil infiltration.

---



### MOISTURE-WICKING

Designed with a fabric for dispersing sweat and moisture.

---



# NECK SHADE

WAC00020 | HI VIZ - WAC00024  
AS/NZS 4399:2017 / AATCC 183:2014



## OPTIONS



WAC00020-313  
GREY



WAC00024-222  
ORANGE FLUO



WAC00024-221  
YELLOW FLUO

## COMPATIBLE WITH SERIES



SUPERPLASMA



NECK SHADE IS ATTACHED TO THE HELMET WITH SPECIAL HOOK-AND-LOOP ADHESIVE STRIPS, INCLUDED.

## TECHNICAL DETAILS

**MATERIAL**  
79% Polyamide  
21% Elastane

**STANDARD**  
AATCC 183:2014  
AS/NZS 4399:2017

## CARE LABELLING



## TECHNOLOGIES



NECK AND EAR PROTECTION    ERGONOMIC FIT    BREATHABLE    UV PROTECTION

**SIZE**  
45 x 33 cm

**UVA/UVB PROTECTION**  
UPF 50+

## ORDER LOGISTICS

MASTERBOX DIMENSIONS WEIGHT	pieces	single unit
cm		18,5 x 10 x 1
kg		0,04

# NECK SHIELD RW

WAC00032 | HI VIZ - WAC00033



## OPTIONS



WAC00032-209  
ANTHRACITE



WAC00033-222  
ORANGE FLUO



WAC00024-221  
YELLOW FLUO

## COMPATIBLE WITH SERIES



SUPERPLASMA



NECK SHIELD RW IS ATTACHED TO THE HELMET WITH SPECIAL HOOK-AND-LOOP ADHESIVE STRIPS, INCLUDED.

## TECHNICAL DETAILS

**MATERIAL**  
OUTER:  
Synthetic fabric  
MID-LAYER:  
Zerowind® membrane  
INNER:  
Micro-fleece

**SIZE**  
45 x 27 cm

## CARE LABELLING



## TECHNOLOGIES



NECK AND EAR PROTECTION    ERGONOMIC FIT    BREATHABLE    WATERPROOF    WINDPROOF

## ORDER LOGISTICS

MASTERBOX DIMENSIONS WEIGHT	pieces	single unit
cm		32 x 21,5 x 0,5
kg		0,06




WIND RESISTANT    WATER RESISTANT    COLD RESISTANT

ZENITH X | PRIMERO

## NECK SHADE

WAC00013 | HI VIZ - WAC00025  
AS/NZS 4399:2017 / AATCC 183:2014

## OPTIONS

WAC00013-313  
GREYWAC00025-222  
ORANGE FLUOWAC00025-221  
YELLOW FLUO

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

NECK SHADE IS MOUNTED VIA EASY ATTACHMENT SYSTEM

## TECHNICAL DETAILS

**MATERIAL**  
79% Polyamide  
21% Elastane**STANDARD**  
AATCC 183:2014  
AS/NZS 4399:2017**SIZE**  
45 x 27 cm**UVA/UVB  
PROTECTION**  
UPF 50+

## CARE LABELLING



## ORDER LOGISTICS

MASTERBOX DIMENSIONS	pieces	single unit
WEIGHT	cm	32 x 21 x 0,5 cm
	kg	0,06

## TECHNOLOGIES



NECK AND EAR PROTECTION    ERGONOMIC FIT    BREATHABLE    UV PROTECTION    ADJUSTABLE SIDE COVERAGE



EARMUFF COMPATIBLE    EASY ATTACHMENT SYSTEM

ZENITH X | PRIMERO

## NECK SHIELD RW

WAC00030 | HI VIZ - WAC00031

## OPTIONS

WAC00030-209  
ANTHRACITEWAC00031-222  
ORANGE FLUOWAC00031-221  
YELLOW FLUO

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

NECK SHIELD RW IS MOUNTED VIA EASY ATTACHMENT SYSTEM

## TECHNICAL DETAILS

**MATERIAL**  
OUTER:  
Synthetic fabric  
MID-LAYER:  
Zerowind® membrane  
INNER:  
Micro-fleece**SIZE**  
45 x 27 cm

## CARE LABELLING



## ORDER LOGISTICS

MASTERBOX DIMENSIONS	pieces	single unit
WEIGHT	cm	32 x 21,5 x 0,5
	kg	0,06

## TECHNOLOGIES



NECK AND EAR PROTECTION    ERGONOMIC FIT    BREATHABLE    ADJUSTABLE SIDE COVERAGE    WATER AND WIND PROOF



WIND RESISTANT    WATER RESISTANT    COLD RESISTANT    EARMUFF COMPATIBLE    EASY ATTACHMENT SYSTEM



# SUN SHIELD

WAC00036 | HI VIZ - WAC00037  
AS/NZS 4399:2017 / AATCC 183:2014



## OPTIONS



WAC00036-209  
ANTHRACITE



WAC00037-222  
ORANGE FLUO



WAC00037-221  
YELLOW FLUO

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO



SUPERPLASMA

## TECHNICAL DETAILS

**MATERIAL**  
Cordura™

**STANDARD**  
AATCC 183:2014  
AS/NZS 4399:2017

**SIZE**

One size fits most

**UVA/UVB PROTECTION**  
UPF 50+

## CARE LABELLING



## TECHNOLOGIES



Earmuff Compatible Undersurface Sun Reflection UV PROTECTION

## ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	pieces	30
<b>WEIGHT</b>	cm	31 x 41 x 27
	kg	5

UNIVERSAL

# WINTER BALACLAVA

WAC00069 | HI VIZ - WAC00070



## OPTIONS



WAC00069-209  
ANTHRACITE



WAC00070-222  
ORANGE FLUO



WAC00070-221  
YELLOW FLUO

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO



SUPERPLASMA

## TECHNICAL DETAILS

**MATERIAL**

OUTER:  
Syntethic fabric

MID-LAYER:  
Zerowind® membrane

INNER:  
Micro-fleece

**SIZE**

One size fits most

## CARE LABELLING



## TECHNOLOGIES



FULL WEATHER PROTECTION ERGONOMIC FIT BREATHABLE WATERPROOF WIND RESISTANT

## ORDER LOGISTICS

<b>MASTERBOX DIMENSIONS</b>	pieces	100
<b>WEIGHT</b>	cm	31 x 41 x 27
	kg	11



COLD RESISTANT ADJUSTABLE FRONT CLOSURE REFLECTIVE DETAILS

# UNIVERSAL WINTER CAP

WPA00007



## OPTIONS

WPA00007  
BLACK

## COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

## TECHNICAL DETAILS

**MATERIAL**  
93% Polyester  
7% Polyurethane

## SIZE

One size fits most

## CARE LABELLING



## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	30
<b>DIMENSIONS</b>	cm	25,5 x 15,5 x 5
<b>WEIGHT</b>	kg	0,06

## TECHNOLOGIES



WINDPROOF BREATHABLE WATERPROOF WIND RESIS- TANT COLD RESIS- TANT



MOISTU- RE-WICKING FORM FITTING HYDRO OIL REPELLENT

# ZENITH X MERINO CAP

WPA00009



## OPTIONS

WPA00009  
BLACK

## COMPATIBLE WITH SERIES



ZENITH X

FRONTAL CLICK-IN SYSTEM ALLOWS MOUNTING.

## TECHNICAL DETAILS

**MATERIAL**  
OUTER:  
100% Polyester  
INNER:  
Merino Wool mix

## SIZE

One size fits most

## CARE LABELLING



## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	100
<b>DIMENSIONS</b>	cm	42 x 66 x 43
<b>WEIGHT</b>	kg	7

## TECHNOLOGIES



WINDPROOF BREATHABLE WATERPROOF WIND RESIS- TANT COLD RESIS- TANT



NECK AND EAR PROTEC- TION ERGONOMIC FIT CLICK-IN AT- TACHMENT



KASK

# HEADLAMPS

— 114

## ILLUMINATING SOLUTIONS

Lighting accessories that attach to KASK helmets to brighten worker sight lines in low-light conditions.





# OVERVIEW OF TECHNOLOGIES.



## ADVANCED FOCUS SYSTEM®

Patented technology that allows a seamless transition from broad low beam to sharply focused high beam.



## DUAL POWER SOURCE

Equipped with two battery types; a rechargeable lithium-ion battery and regular AA alkaline battery, to provide flexibility in a variety of applications.



## OPTISENSE® TECHNOLOGY

Technology that automatically adapts to the present light conditions – controlling the luminosity based on the reflecting surrounding light to avoid glare.



## RAPID FOCUS

Mechanism that allows the light beam to be adjusted quickly.



## TEMPERATURE CONTROL SYSTEM

Technology that automatically lowers the output to protect from overheating.



## COOLING TECHNOLOGY

Dissipates heat generated by extended headlamp use.



## TRANSPORTATION LOCK

Prevents the light from being turned on inadvertently.



### BLUE LIGHT

Equipped with a blue LED light for use in fog and smoky conditions.



### GREEN LIGHT

Equipped with a green LED light for increased run time and nighttime visibility.



### RED READING LIGHT

Equipped with a red LED light for better nighttime visibility and emergency situations.



### EMERGENCY LIGHT

Designed to turn on automatically when the power goes out and the headlamp is on its charging station.



### BLUETOOTH®

Designed with Bluetooth® smartphone connection via app for personalized settings, timer, etc.



### MAGNETIC CHARGE SYSTEM

Easily recharge the headlamp via a magnetic USB cable.



# KL-1

WLA00001



## TECHNICAL DETAILS

Weight incl. Battery	98 g
Light output max - min	400 lm   20 lm
Runtime min - max	4 h   35 h
Battery	1* Li-ion (included) or 2*AA Alkaline 1.5V/ 2*AANiMH1.2V (not included)
IP class	IP54
Charging time	150 min (according to hardware used)
Light functions	Power, low power

**Functions** Low battery warning, charge indicator, battery indicator, rapid focus, red reading light

## COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

## INCLUDES

- Headlamp + elastic band
- Overhead-band
- Charging cable
- Battery (to be installed)

## TECHNOLOGIES



## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	24
<b>DIMENSIONS</b>	cm	40 x 40 x 35
<b>WEIGHT</b>	kg	10

118

## HEADLAMPS

# KL-2

WLA00002



## TECHNICAL DETAILS

Weight incl. Battery	139 g
Maximum light output boost	600 lm for 10"
Light output max - min	400 lm   170 lm   20 lm
Runtime min - max	7 h   10 h   60 h
Battery	1* Li-ion (included) or 2*AA Alkaline 1.5V/ 2*AANiMH1.2V (not included)
IP class	IP54
Charging time	270 min (according to hardware used)
Light functions	Low power, mid power, power, blink, boost

**Functions** Low battery warning; charge indicator; battery indicator; rapid focus; transport lock; red green and blue light (also fix bad break so battery doesn't break across the line.)

## COMPATIBLE WITH SERIES



ZENITH X


PRIMERO

SUPERPLASMA

## INCLUDES

- Headlamp + elastic band
- Overhead-band
- Charging cable
- Battery (to be installed)

## TECHNOLOGIES



## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	24
<b>DIMENSIONS</b>	cm	40 x 40 x 35
<b>WEIGHT</b>	kg	10

## HEADLAMPS

## KL-3

WLA00001



## TECHNICAL DETAILS

Weight incl. Battery	179 g
Maximum light output boost	1000 lm for 10"
Light output max - min	750 lm*   300 lm   10 lm
Runtime max - min	4 h   8 h   100 h
Battery	* 1 Li-ion (included) or ICR Li-ion 3.7V (not included)
IP class	IP54
Charging time	420 min (according to hardware used)
Light functions	Low power, mid power, power, boost, blink, SOS, strobe
Functions	Low battery warning; charge indicator; battery indicator; rapid focus; transport lock; red, green, and blue light; Bluetooth; automatic brightness adjustment

## COMPATIBLE WITH SERIES



ZENITH X

PRIMERO

SUPERPLASMA

## INCLUDES

Headlamp + elastic band  
Overhead-band  
Charging cable  
Battery (to be installed)

## TECHNOLOGIES

ADVANCED  
FOCUS  
SYSTEM\*RAPID  
FOCUSDUAL POWER  
SOURCEMAGNETIC  
CHARGE  
SYSTEMCOOLING  
TECHNO-  
LOGYTEMPERATURE  
CONTROL SYSTEMTRANSPORTATION  
LOCKGREEN  
LIGHTBLUE  
LIGHTRED READING  
LIGHTEMERGENCY  
LIGHTOPTISENSE®  
TECHNO-  
LOGY

BLUETOOTH®

## ORDER LOGISTICS

MASTERBOX	pieces	24
DIMENSIONS	cm	40 x 40 x 35
WEIGHT	kg	10

## MOUNTING

ZENITH X, PRIMERO, SUPERPLASMA  
MOUNTING WITH ELASTIC BAND

KL-1 | KL-2 | KL-3

ZENITH X

PRIMERO

SUPERPLASMA

ZENITH X, PRIMERO  
ASSEMBLY VIA FRONT ATTACHMENT POINT ADAPTER

KL-1 | KL-2 | KL-3

KL-1 | KL-2 | KL-3  
FRONT ATTACHMENT

ZENITH X

PRIMERO

ZENITH X, PRIMERO  
OVERHEAD-BAND MOUNTING

KL-1 | KL-2 | KL-3

OVERHEAD-BAND

ZENITH X

PRIMERO

ZENITH X, PRIMERO  
OVERHEAD-BAND MOUNTING WITH EARMUFFS

KL-1 | KL-2 | KL-3

OVERHEAD-BAND

EARMUFFS

ZENITH X

PRIMERO

SUPERPLASMA  
OVERHEAD-BAND MOUNTING

KL-1 | KL-2 | KL-3

OVERHEAD-BAND

EARMUFFS  
ADAPTERS

SUPERPLASMA

SUPERPLASMA  
OVERHEAD-BAND MOUNTING WITH EARMUFFS

KL-1 | KL-2 | KL-3


OVERHEAD-BAND

EARMUFFS  
ADAPTERS

EARMUFFS

SUPERPLASMA

Headlamps spare parts are at page 127



– 120

# OTHER ACCESSORIES

## SMART SOLUTIONS

Securely attached accessories that allow working activities to be fast and practical.

ZENITH X | PRIMERO

# BADGE HOLDER

WAC00048

## OPTIONS

WAC00048  
CLEAR

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO

## TECHNICAL DETAILS

**MATERIAL**  
PC - transparent  
PA - black

**SIZE**  
58 x 95 mm

## DESCRIPTION

Attachment designed to securely connect badge to front attachment point of helmet while providing protection from splash risks. It is mounted by removing frontal point cover and inserting badge slot.

## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	30
<b>DIMENSIONS</b>	cm	17,5 x 25 x 17,5
<b>WEIGHT</b>	kg	1

UNIVERSAL

# BADGE HOLDER LIGHT

WAC00042 | WAC00047

## OPTIONS

WAC00042  
SUPERPLASMAWAC00047  
ZENITH X  
PRIMERO

## COMPATIBLE WITH SERIES



ZENITH X



PRIMERO



SUPERPLASMA

## TECHNICAL DETAILS

**MATERIAL**  
Badge Holder:  
Transparent PE

Elastic band:  
75% polyester  
25% natural rubber

**SIZE**  
58 x 95 mm

## DESCRIPTION

Attachment for connecting badge via lamp clips to the front or back of helmet. It is mounted by fixing elastic band loop to helmet lamp clips.

## ORDER LOGISTICS

<b>MASTERBOX</b>	pieces	70
<b>DIMENSIONS</b>	cm	17,5 x 25 x 17,5
<b>WEIGHT</b>	kg	1,5



# CUSTOM PRINTING AS EASY AS 1, 2, 3.

With high-quality printing and flexible order options, KASK helmets can be customized to outfit any team.

- High-quality graphics in up to seven colors
- Applied to standard or custom print areas
- Low minimum order quantities

Contact a KASK sales representative to learn about custom printing your helmets. Standard and Hi-Viz decal customization available.

## 1 CHOOSE YOUR HELMET



### ZENITH X SERIES

ZENITH X



ZENITH X HI VIZ



### PRIMERO SERIES

PRIMERO



PRIMERO HI VIZ



### SUPERPLASMA SERIES

SUPERPLASMA



SUPERPLASMA HI VIZ



## 2 CHOOSE YOUR PRINTING AREA



**FRONT**  
80 mm x 40 mm



**SIDES**  
65 mm x 35 mm



**BACK**  
38 mm x 24 mm



**FRONT**  
80 mm x 55 mm



**SIDES**  
80 mm x 30 mm



**BACK**  
80 mm x 30 mm



**FRONT**  
80 mm x 40 mm



**SIDES**  
65 mm x 35 mm



**BACK**  
80 mm x 32 mm

Every KASK helmet can be customized.

These are typical guidelines for graphic placement on KASK helmets.

KASK will work with you to help achieve your vision for your helmets.



## 3 CHOOSE YOUR GRAPHICS



### PAD PRINTING

- High-quality color matching
- Each side can be a unique graphic
- Print in standard areas, or request custom print areas
- Durable in time

### DECALS

- High-quality color matching
- Each decal can be customized
- Replaceable

# SPARE PARTS.

HELMETS

## ZENITH X



**INTERNAL PADDING**  
WPA00010



**FRONT PADDING**  
WPA00011



**COMFORT FIT FRONT PADDING**  
WPA00012




**LAMP CLIPS BLACK**  
WAC00061-210



**LAMP CLIPS LUMINESCENT**  
WAC00061-236



**REFLECTIVE DECALS**  
WAC00062-252



**CLEAR STICKERS**  
WAC00023



**BADGE HOLDER**  
WAC00048 | WAC00047



**EASY CLICK ADAPTERS**  
WAC00009



**FULL FACE VISOR CARRIER**  
WAC00010



**BRIM**  
WV100011



**ADAPTIVE FIT SYSTEM WHEEL KIT**  
WAC00086

124

HELMETS

## PRIMERO



**INTERNAL PADDING**  
WPA00019



**FRONT PADDING**  
WPA00020



**COMFORT FIT FRONT PADDING**  
WPA00013




**LAMP CLIPS BLACK**  
WAC00082-210



**LAMP CLIPS LUMINESCENT**  
WAC00082-236



**REFLECTIVE DECALS**  
WAC00083-252



**CLEAR STICKERS**  
WAC00023



**BADGE HOLDER**  
WAC00048 | WAC00047



**EASY CLICK ADAPTERS**  
WAC00009



**FULL FACE VISOR CARRIER**  
WAC00010




**BRIM**  
WV100011



**QUICK/ERGO FIT SYSTEM GEAR KIT**  
WAC00085

## HELMETS

## SUPERPLASMA



**SUPERPLASMA AQ  
PADDING**  
WPA00002



**SUPERPLASMA HP  
PADDING**  
WPA00005



**SUPERPLASMA  
PL PADDING**  
WPA00003



**CLEAR  
STICKERS**  
WAC00018



**SUPERPLASMA AQ  
REFLECTIVE STICKERS**  
WAC00001

- 202 YELLOW
- 204 RED
- 205 GREEN
- 252 SILVER



**BADGE HOLDER -  
LIGHT**  
WAC00042



**VISOR  
SCREW SET**  
WAC00005



**EARMUFF  
ADAPTERS**  
WAC00003



**MESH VISOR  
CARRIER**  
WV100005



**MESH VISOR  
ADAPTERS**  
WAC00008



**QUICK/ERGO FIT  
SYSTEM GEAR KIT**  
WAC00085

## ACCESSORIES

## HEADLAMPS



**KL-1 FRONT  
ATTACHMENT**  
WAC00064  
(ZENITH X | PRIMERO)



**KL-2 FRONT  
ATTACHMENT**  
WAC00065  
(ZENITH X | PRIMERO)



**KL-3 FRONT  
ATTACHMENT**  
WAC00066  
(ZENITH X | PRIMERO)



**OVERHEAD-BAND  
KL-1/KL-2/KL-3**  
WAC00049



**HEADBAND  
KL-1**  
WAC00053



**HEADBAND  
KL-2/KL-3**  
WAC00054



**USB MAGNETIC  
CHARGING CABLE**  
WAC00059



**BASE PLATE  
KL-1**  
WAC00055



**BASE PLATE  
KL-2**  
WAC00056



**BASE PLATE  
KL-3**  
WAC00057



**BATTERY COVER  
KL-1**  
WAC00050



**BATTERY COVER  
KL-2**  
WAC00051



**BATTERY COVER  
KL-3**  
WAC00052



**BATTERY  
KL-3**  
WAC00058

## ACCESSORIES

## EARMUFFS



**HEARING  
PADDING SC1+SC2**  
WAC00006



**HEARING  
PADDING SC3**  
WAC00007



**EARMUFF  
ATTACHMENT ARMS**  
WAC00022

# SALES SUPPORT.

## PRINTED SUPPORT



**SAFETY COLLECTION:**  
XDI00034-2025-EN | IT | DE | FR | ES-

**CATALOGUE**



**ZENITH X:**  
XDI00017-ZENITH-X-EN | IT | DE | FR | ES-2024-

**PRIMERO:**  
XDI00017-PRIMERO-EN | IT | DE | FR | ES-2023-

**SUPERPLASMA:**  
XDI00017-SUPERPLASMA-EN | IT | DE | FR | ES-2023-

**PRODUCT FLYER**

## COLORBOOK



**HELMET SHELL  
COLORBOOK PP**  
XDI00135-PP



**HELMET SHELL  
COLORBOOK ABS**  
XDI00135-ABS



**REFLECTIVE DECALS  
COLORBOOK**  
XDI00136

## STICKERS



**WINDOW  
STICKERS**  
(21 x 8 cm) | XME00127-213

— 126

## DISPLAY



**STAND & HANG  
HELMET DISPLAY**  
(75 x 33 x 180 cm)  
XDI00077



**4-HELMET  
DISPLAY**  
(28 x 40 x 183 cm)  
XDI00119



**SINGLE HELMET  
DISPLAY**  
(50 x 30 x 37 cm)  
XDI00032



**FLYER  
DISPLAY**  
(25 x 8 x 27 cm)  
XDI00031



**WINDOW  
DISPLAY**  
(42 x 30 cm)

**ZENITH X:**  
XDI00179- EN | IT | DE | FR | ES-

**PRIMERO:**  
XDI00179- EN | IT | DE | FR | ES-

**SUPERPLASMA:**  
XDI00181- EN | IT | DE | FR | ES-

## SLAT WALL KIT



**SLAT WALL  
HANGER**  
XDI00188



**SLAT WALL  
BANNER**  
XEV00020


## ROLL UP



**ROLL UP  
INDUSTRIAL**  
(200 x 80 cm)  
XEV00016-501-2023-



**ROLL UP  
ROPE ACCESS**  
(200 x 80 cm)  
XEV00016-505-2023-



**ROLL UP  
CONSTRUCTION**  
(200 x 80 cm)  
XEV00016-506-2023-



**ROLL UP  
TREE CLIMBING**  
(200 x 80 cm)  
XEV00016-504-2023-

## HELMET BAGS



**DRAWSTRING  
BAG SMALL**  
WAC00026



**DRAWSTRING  
BAG LARGE**  
WAC00071



**REINFORCED  
BAG**  
WAC00029



**SELECTION  
BAG**  
UAC00007



**KASK BAG  
SMALL**  
UAC00006



**KASK BAG  
BIG**  
UAC00004

## CLEANERS



**LINER REFRESHER**  
100ML/3.4 FL OZ  
SINGLE UNIT  
WAC00040



**LINER REFRESHER**  
100ML/3.4 FL OZ  
8 PCS BOX  
WAC00044



**HELMET CLEANER**  
100ML/3.4 FL OZ  
SINGLE UNIT  
WAC00063



**HELMET CLEANER**  
100ML/3.4 FL OZ  
8 PCS BOX  
WAC00072

# ZENITH X FULL RANGE.

## ZENITH X



All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00125 - Zenith X LC

## ZENITH X HI VIZ



All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00126 - Zenith X LC HI VIZ

## ZENITH X AIR



All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00127 - Zenith X AIR LC

## ZENITH X AIR HI VIZ



All colors are available as made-to-order with Longer Chinstrap (↔ +10 cm): WHE00128 - Zenith X AIR LC HI VIZ

## ZENITH X PL



## ZENITH X PL HI VIZ



## ZENITH X COMBO



## ZENITH X AIR COMBO



## ZENITH X PL COMBO



## EYE &amp; FACE PROTECTION

## ZEN VISOR



## ZEN FF VISOR



## ZEN MM | PM



## ZEN FOAM



## ZENITH X KIT



## EYE &amp; FACE PROTECTION

## ARC VISOR CLASS 1



## ARC VISOR CLASS 2 ERGO



## FR NECK PROTECTOR



## WEATHER PROTECTION

## NECK SHADE | HI VIZ



## NECK SHIELD RW | HI VIZ



## WINTER BALACLAVA | HI VIZ



## SUNSHIELD | HI VIZ



## MERINO | WINTER PADDING



## HEADLAMPS

## HEADLAMPS



## LAMP FRONT ATTACHMENT



## HEARING PROTECTION

## EARMUFFS



## HYGENE KIT



## SPARE PARTS &amp; SAFETY ACCESSORIES

## ZENITH X SPARE PARTS



# PRIMERO FULL RANGE.

## PRIMERO



## PRIMERO HI VIZ



— 130

## PRIMERO AIR



## PRIMERO AIR HI VIZ



## PRIMERO PL



## PRIMERO PL HI VIZ



## EYE & FACE PROTECTION

### ZEN VISOR



### ZEN FF VISOR



### ZEN MM | PM



### ZEN FOAM



### PRIMERO KIT



## EYE & FACE PROTECTION

### ARC VISOR CLASS 1



### ARC VISOR CLASS 2 ERGO



### FR NECK PROTECTOR



## WEATHER PROTECTION

### NECK SHADE | HI VIZ



### NECK SHIELD RW | HI VIZ



### WINTER BALACLAVA | HI VIZ



### SUNSHIELD | HI VIZ



### WINTER PADDING



## HEADLAMPS

### HEADLAMPS



### LAMP FRONT ATTACHMENT



## HEARING PROTECTION

### EARMUFFS



### HYGIENE KIT



## SPARE PARTS & SAFETY ACCESSORIES

### PRIMERO SPARE PARTS



# SUPERPLASMA FULL RANGE.

## SUPERPLASMA AQ



## SUPERPLASMA AQ HI VIZ



— 132

## SUPERPLASMA HP




## SUPERPLASMA HP VISOR



## SUPERPLASMA PL



## SUPERPLASMA PL HI VIZ



## EYE & FACE PROTECTION

### V2 PLUS VISOR



WV100036-500 CLEAR  
WV100036-510 SMOKE  
WV100036-520 SILVER MIRROR

### VISOR FULL FACE



WV100037-500 CLEAR  
WV100037-510 SMOKE  
WV100037-520 SILVER MIRROR

### FACE SHIELD



WV100024-500 CLEAR

### MESH VISOR



WV100006 METAL MESH

## WEATHER PROTECTION

### NECK SHADE | HI VIZ



WAC00020-313 GREY  
WAC00024-222 ORANGE FLUO  
WAC00024-221 YELLOW FLUO

### NECK SHIELD RW | HI VIZ



WAC00032-209 ANTHRACITE  
WAC00033-222 ORANGE FLUO  
WAC00033-221 YELLOW FLUO

### WINTER BALACLAVA | HI VIZ



WAC00069-209 ANTHRACITE  
WAC00070-222 ORANGE FLUO  
WAC00070-221 YELLOW FLUO

### SUNSHIELD | HI VIZ



WAC00036-209 ANTHRACITE  
WAC00037-222 ORANGE FLUO  
WAC00037-221 YELLOW FLUO

### WINTER PADDING



WPA00007 WINTER PADDING

## HEADLAMPS

### HEADLAMPS



WLA00001 KL-1  
WLA00002 KL-2  
WLA00003 KL-3

## HEARING PROTECTION

### EARMUFFS



WHP00004 SC1 - GREEN  
WHP00005 SC2 - YELLOW  
WHP00006 SC3 - ORANGE

### HYGIENE KIT



WAC00006-7 HYGIENE KIT EARMUFFS

## SPARE PARTS & SAFETY ACCESSORIES

### SUPERPLASMA SPARE PARTS



WPA00002 SUPERPLASMA AQ PADDING  
WPA00005 SUPERPLASMA HP PADDING  
WPA00003 SUPERPLASMA PL PADDING  
WAC00001 REFLECTIVE STICKERS  
WAC00005 VISOR SCREW SET  
WAC00003 EARMUFFS ADAPTERS  
WAC00008 MESH VISOR ADAPTER  
WV100005 MESH VISOR CARRIER  
WAC00085 QUICK/ERGO FIT SYSTEM GEAR KIT  
WAC00018 CLEAR STICKERS

### BADGE HOLDER LIGHT



WAC00042

### CLEANERS



WAC00040 LINER REFRESHER  
WAC00063 HELMET CLEANER



Reproduction forbidden. All rights reserved. Some of the products shown may differ from products supplied. Kask spa. reserves the right to make variations/ improvements of any of the product or data shown at any time, without notice. All the products are designed and engineered by Kask spa. Italy. The illustrations, descriptions and dimensions shown in this catalog are indicative. KASK reserves the right to modify or improve them in any moment. The colors have been reproduced with the accuracy allowed by the process of printing. KASK products are guaranteed not to involve child labor.



